PRINTING
BOX D 64

NEW "Accur-Matic" FEED *gives unmatched feeding accuracy*

"We Take the Time Out of Signing—Safely... with a Cummins Automatic Check Signer"



For *VOLUME CHECK SIGNING,* you need *A CUMMINS AUTOMATIC*

• **Fast** • **Safe** • **Fully Automatic AND — ACCURATE**

Accurate... Outdates all other automatic feeds!

The new "Accur-Matic" feed provides a degree of accuracy never before available in an automatically fed imprinting or counting device. Developed to handle mixed sizes and weights of paper, its performance is practically perfect when feeding similar items as when signing checks.

Fast... Signs up to 400 checks per minute!

That's more signatures per minute than the average man can write in an hour. With a Cummins Automatic Check Signer, the signing executive is able to spend his time as it should be spent—actually scrutinizing checks and supporting documents before allowing them to be signed and distributed or mailed.

Safe... Backed by a $25,000 insurance policy!

Insurance experts agree that signing with the Cummins Automatic is far safer than hand signing. There are many reasons why. Signature dies are made from your best signature . . . your signature is identical on every check . . . makes it easily recognized and as distinctive as your fingerprint. Locks control operation and also lock die in or out of machine. Even the amount can be protected by a lined screen that reveals any changing. In addition, Cummins Automatic Signers come to you with a paid-up $25,000 insurance policy protecting you against loss.

Fully Automatic... Feeds, signs, counts and stacks in sequence! Optional dating and amount Protection!

Any authorized person can operate the Cummins Automatic—no special training is required. You just place a stack of checks in the hopper, turn a key and the Automatic Check Signer does the rest. It automatically feeds, signs, dates, protects amount and stacks in sequence—counting and registering the number of items.



000.00

LINED SCREEN PROTECTS CHECK AMOUNT—A protective screen which will reveal any attempted alteration can be placed over th amount at the same time the check signed. This additional protection, used, is also backed by the paid-up $25,000 insurance policy. You save an entire handling because checks don't have to be put through a separate che writer or protector.

COUNTS AS IT SIGNS—Accurate count of each check signed is registered on the counting meter, resettable only to zero. Lock on cover prevents unauthorized resetting. A log book is furnished for entering check numbers and meter readings to account for every impression.

KEY SWITCH CONTROLS OPERATION—You can't operate the Cummins Automatic until the proper tubular key is inserted in the switch lock—even though the signature dies are in place and ready to sign. This guards against unauthorized use when operator is called away from machine.

COVER LOCK PROTECTS SIGNATURE DIE AND COUNTER—You have the only key to the cover lock. Only you can install or remove the signature dies. Only you can reset the automatic check counter. This exclusive Cummins feature allows you to delegate signing authority with complete safety. Tubular key lock provides maximum security.





VERTICAL FEED MODELS FOR EXTRA LONG CHECKS—Checks that are too long to be fed horizontally are easily handled on vertical feed models like the 275-01 illustrated above.



NEW "ACCUR-MATIC" FEED ASSURES ACCURATE PAPER SEPARATION—Once the checks are in the hopper the new exclusive Cummins "Accur-Matic" Feed takes over. The "Accur-Matic" by the aid of an easily adjustable abrasive stone achieves practically perfect separation and unmatched feeding accuracy.

APR 14, 65

DATES AS IT SIGNS—The Cummins Automatic can print the date at the same time it prints the signature if desired . . . save one complete operation. Dates are easily changed—no loose type to set or get lost.



MAGIC FLOW INK WELL INSURES UNIFORM IMPRESSIONS—Every signature is uniform (discourages forgery) because Cummins Magic Flow Ink Well applies the exactly right amount of ink to the printing plate—time after time . . . continuously and automatically. Inks 500,000 signatures without refilling. No messy, expensive ribbons to bother with. To fill—just lift cover and pour from bottle. Unique ink dries instantly by penetration, won't harm rubber or metal, won't evaporate.

Your Signature

YOUR SIGNATURE IS ALWAYS THE SAME—Your signature appears the same on every check—every impression is clear and perfect. Signature dies are made from your best signature and the Magic Flow Ink Well insures that all impressions from them are identical.

Cummins business machines

bring new security and efficiency to business and banks everywhere

TALLYPRINTER*

Imprinting and counting operations of all kinds take on new speed and efficiency with a Cummins Tallyprinter on the job. The Cummins Tallyprinter prints the fastest, clearest, most legible impressions you can make—and does it automatically. Feeds, imprints, dates, counts, stacks in sequence—in one rapid operation. Rapidset or Consecutive Numbering in addition to, or instead of, marking a date is optional. Predetermined Count also available.

AUTOMATIC PERFORATORS*

You can't erase a hole. This is why security-minded organizations use Cummins Perforators to cancel checks and invoices. Also, Cummins Perforators can be used for time payment systems, consecutive numbering, dating incoming mail, marking documents to show such processing as key punching—all designed to speed and control your accounting procedures.

CARDITIONERS*

What do you do with damaged punched cards? With the Cummins Carditioner, you can salvage 85% of otherwise unmachineable cards. It straightens crumpled edges, flattens warps, irons out creases, preserves exact dimensions and rejects cards with attachments. You can use the Cummins Carditioner on any make of card—51, 80 or 90 column.



SCANAK 216*

A transaction document scanner capable of reading data recorded by all the common methods of preparing such documents. Output can be either magnetic or punched paper tape. Sorting capability and Totalling Printer are optional. Other options provide for processing merchandise tickets or punched cards. Can be used for such diverse applications as inventory control, payment processing, check reconciliation, payroll and route accounting, to name just a few. Rentals start at the surprisingly low figure of less than $1,000 a month.

*Write for specific literature

IN BUSINESS AND BANKS SINCE 1887

CA SINCE 1887 Cummins

CUMMINS-CHICAGO CORPORATION

A CUMMINS-ALLISON COMPANY

4740 N. RAVENSWOOD AVE. • CHICAGO, ILLINOIS 60640

SALES AND SERVICE IN ALL PRINCIPAL CITIES

Form No. 13C106-11/69-5M

Printed in U.S.A.

CASE HISTORY

ANOTHER SATISFIED USER

U. S. GOVERNMENT (9122)

ACTIVITY: U. S. Army

ADDRESS Letterman Army Hospital
San Francisco, California

APPLICATION: Check signing in conformance with AR 35-425, buff tinted card checks.

METHOD FORMERLY USED: Hand signing.

CUMMINS EQUIPMENT IN USE: Model 251-6698 Electric Check Signer.

METHOD NOW IN USE: Between 3,000 and 4,000 checks per month are signed and dated to comply with Treasury Department specifications. This combines the signing and dating operations which were formerly separate. Estimated savings of 10 to 12 man hours of executive time will be saved each month based on initial tests.

RESULTS: Savings: Man hours saved each month.

Flexible: Signs and dates and counts in one operation.

Quality: Signature impression is uniform regardless of quantity signed.

Person in Charge: Captain Arnold T. Head, Finance Officer.



Signing and dating Card Checks, Army (902)

Cummins Model 251 Electric Check Signer

CASE HISTORY

ANOTHER SATISFIED USER

U. S. GOVERNMENT (91[illegible]

ACTIVITY: Railroad Retirement Board

ADDRESS Chicago, Illinois

APPLICATION: Signing, dating, controlling Punched Card Railroad Retirement Checks, and feeding them automatically into Diebold Microfilm machine.

METHOD FORMERLY USED: Cummins Model 277 several years old which will be utilized as a standby machine for peak periods.

CUMMINS EQUIPMENT IN USE: Model 277 High Speed Automatic Check Signer for use with Diebold Microfilm equipment.

METHOD NOW IN USE: Checks are signed, dated, and counted, and then fed with hook-up into a Diebold Microfilm Machine where the checks are filmed prior to issuance and counted. If counts correspond on Cummins and Diebold, control is established. Approximately 1,000,000 checks are processed monthly through this hook-up. Technological improvements in the new Cummins 277 make for a smoother operation.

Person in Charge: Mr. J. Master, Tabulating Department.

DATE → NOV 20 1956

BACKGROUND → Signing, Dating, Counting and Feeding 1,000,000 checks per month into Diebold Microfilm Unit. (902)

SIGNATURE → John Doe

PLATE NUMBER → 351

TITLE → REGIONAL DISBURSING OFFICER

Cummins Model 277-High Speed Automatic Check Signer

CASE HISTORY

ANOTHER SATISFIED USER

U. S. GOVERNMENT (9133)(a)

ACTIVITY: U.S. Navy

ADDRESS David Taylor Model Basin
Carnerock (Rockville) Maryland

APPLICATION: Signing, Dating, Counting, and Stacking in sequence Navy punched card checks in compliance with Treasury Department specifications.

METHOD FORMERLY USED: New Disbursing Office - were formerly serviced by Naval Gun Factory.

CUMMINS EQUIPMENT IN USE: Cummins Model 251 Check Signer with electronic non-interference.

METHOD NOW IN USE: Navy Card Checks are signed, dated, counted for control purposes, and stacked in sequence in the one operation. The quality of the signature impressions remain uniformly legible regardless of the volume of checks signed. The simplicy of operation plus the speed (up to 60 checks per minute) gets the signing job done easily.

RESULTS: Quality - Impressions are uniformly legible.

Simplicity - Easy to operate - no special skills required.

Service - Available locally if required.

Person in Charge: Lt. J. Huttenlocher, Disbursing Officer



Signing, Dating, Counting and Stacking in Sequence Navy Card Checks (902.0)

Cummins Model 251 Electric Check Signer

LIST OF U. S. NAVY ACTIVITIES USING CUMMINS CHECK SIGNERS

1. Naval Air Station, Alameda, Calif. (replaces I.P.S.C.)
2. Naval Academy, Annapolis, Maryland
3. Naval Air Station (Navy No. 103) Argentia, Newfoundland
4. Naval Air Station Tongue Point, Astoria, Oregon
5. Naval Training Center, Bainbridge, Maryland
6. National Naval Medical Center, Bethesda, Maryland
7. Navy Accounts Disbursing Office, Boston, Massachusetts
8. Navy Regional Accounts Office, Boston, Massachusetts
9. Naval Air Station, Brunswick, Maine
10. Charleston Naval Shipyard, U. S. Naval Base, Charleston, South Carolina
11. Navy Regional Accounts Office, Charleston, South Carolina
12. Navy Accounts Disbursing Office, Charleston, South Carolina
13. Navy Finance Center, Allotment Division, Cleveland, Ohio
14. Navy Finance Center, Special Payment Division, Cleveland, Ohio
15. Naval Air Station Corpus Christi, Texas
16. Naval Ammunition Depot, Crane, Indiana
17. Naval Ammunition Depot, Earle, Red Bank, New Jersey
18. Navy Accounts Disbursing Office, Great Lakes, Illinois
19. Naval Ammunition Depot, Hastings, Nebraska
20. Naval Ordnance Test Station, Inyohern, California
21. Naval Air Station, Cecil Field, Florida
22. Naval Air Station, Jacksonville, Florida
23. Naval Station, Kodiak, Alaska
24. Naval Facility, London, England
25. Navy Accounts Disbursing Office, Long Beach, California
26. Naval Air Station, Los Alamitos, Long Beach, California
27. Naval Ordnance Plant, Macon, Georgia
28. Naval Supply Depot, Mechanicsburg, Pennsylvania
29. Naval Air Station, Memphis, Tennessee
30. Naval Submarine Base, New London, Connecticut
31. Navy Regional Accounts Office, New Orleans, Louisiana
32. Navy Accounts Disbursing Office, New Orleans, Louisiana
33. Navy Accounts Disbursing Office, Naval Base, Newport, Rhode Island
34. Navy Regional Accounts Office, Norfolk, Virginia
35. Naval Air Station, Norfolk, Virginia
36. Naval Air Technical Training Center, Norman, Oklahoma
37. Naval Hospital, Oakland, California
38. Naval Air Station, Oceana, Virginia
39. Naval Air Station, Patuxent River, Maryland
40. Naval Aviation Supply Depot, Philadelphia, Pennsylvania
41. Naval Air Material Center, Philadelphia, Pennsylvania
42. Navy Regional Accounts Office, Philadelphia, Pennsylvania
43. Philadelphia Naval Shipyard, Philadelphia, Pennsylvania
44. Naval Air Missile Test Center, Point Mugu, California
45. Naval Magazine, Port Chicago, Concord, California
46. Norfolk Naval Shipyard, Portsmouth, Virginia
47. Naval Air Station, Quonset Point, Rhode Island
48. Naval Air Station, Miramar, San Diego, California
49. Navy Accounts Disbursing Office, San Diego, California
50. Naval Station, San Juan, Puerto Rico

(Cont'd. on Next Sheet)

51. Navy Regional Accounts Office, Naval Station, Seattle, Washington
52. Mare Island Naval Shipyard, Vallejo, California
53. David Taylor Model Basin, Washington 7, D. C.
54. Navy Hydrographic Office, Washington, D. C.
55. Navy Accounts Disbursing Office, Receiving Station, Washington, D. C.
56. Naval Air Station, Whidbey Island, Oak Harbor, Washington
57. Naval Gun Factory, Washington, D. C.
58. Naval Ordnance Laboratory, White Oak, Silver Spring, Maryland
59. Naval Mine Depot, Yorktown, Virginia
60. Naval Air Station, Pensacola, Florida

PARTIAL LIST OF CUMMINS SIGNERS AND TALLYPRINTERS AT U. S. ARMY ESTABLISHMENTS

U. S. Army, Birmingham, Alabama	251 Signer	6/65
U. S. Army, Bynum, Alabama	274-01 Signer	5/61
U. S. Army, Ft. McClellan, Alabama	251 Signer	5/65
Mobile District, Corps of Engineers, Mobile, Ala.	251 Signer	5/58
Corps of Engineers, Anchorage, Alaska	251 Signer	10/59
U. S. Army, Ft. Richardson, Alaska	251 Signer	5/65
U. S. Army, Navajo Depot, Bellemont, Arizona	251 Signer	6/65
U. S. Army, Fort Huachuca, Arizona	271-01 Counter	10/65
Yuma Test Station, Yuma, Arizona	251 Signer	8/56
Benicia Arsenal, Benicia, California	272 Counter/Imprinter	9/61
U. S. Army, Fort Ord, California	274-01 Signer	5/62
Oakland Army Terminal, Oakland, California	(3) 271-01 Counters	4/65
U. S. Army, San Francisco, California	274-01 Signer	7/60
Presidio - U. S. Army, San Francisco, California	250 Endorser	6/62
Corps of Engineers, San Francisco, California	274 Signer	5/55
Fort Mason, San Francisco, California	251 Signer	8/60
Letterman Army Hospital, San Francisco, California	251 Signer	8/56
Army Map Service, Washington, D. C.	273-01 Signer	7/55
Defense Supply Service, Washington, D. C.	271-01 Counter	4/65
McMillan Filter Plant, Washington, D. C.	251 Signer	6/57
U. S. Army, Avondale, Colorado	272 Counter/Imprinter	8/60

U. S. Army, Ft. Benning, Georgia	251 Signer	5/64
U. S. Army, Honolulu, Hawaii	251 Signer	1/64
Corps of Engineers, Chicago, Illinois	253 Signer	8/56
QM Purchasing Center, Chicago, Illinois	251 Signer	8/56
Joliet Arsenal, Joliet, Illinois	272 Counter/Imprinter	9/62
Army Finance Center, Ft. Benjamin Harrison, Ind.	(3) 274 Signers	7/54
U. S. Army, Indianapolis, Indiana	(2) 251 Signers	8/65
U. S. Army, Indianapolis, Indiana	274-01 Signer	6/61
U. S. Army, Fort Knox, Kentucky	274 Signer	12/60
Corps of Engineers, Louisville, Kentucky	273 Signer	5/55
Blue Grass Ord. Depot, Richmond, Kentucky	251 Signer	8/56
U. S. Army, Fort Polk, Louisiana	274-01 Signer	6/65
Corps of Engineers, New Orleans, Louisiana	274 Signer	5/55
Aberdeen Proving Ground, Aberdeen, Maryland	253 Signer	6/65
U. S. Army, Ft. Geo. G. Meade, Maryland	274 Signer	2/62
U. S. Army, Natick Labs., Natick, Massachusetts	274 Signer	5/64
Corps of Engineers, Detroit, Michigan	253 Signer	8/58
Picatinny Arsenal, Dover, New Jersey	274 Signer	2/57
Picatinny Arsenal, Dover, New Jersey	274 Signer	12/63
U. S. Army, Ft. Monmouth, New Jersey	274 Signer	6/64
U. S. Army, Sandia Base, Albuquerque, N. Mex.	274-01 Signer	4/64
Fort Totten, Bayside, New York	274 Signer	8/56
Army Pictorial Center, Long Island City, New York	271 Counter	4/64
Cleveland Procurement District, Cleveland, Ohio	251 Signer	6/65

Marion Engineer Depot, Marion, Ohio	251 Signer	8/56
Columbus Army Depot, Columbus, Ohio	272 Counter/Imprinter	9/62
Erie Ordnance Depot, Port Clinton, Ohio	274-03 Counter/Imprinter	6/60
Rossford Ordnance Depot, Toledo, Ohio	274-01 Signer	4/60
Corps of Engineers, Portland, Oregon	274 Signer	6/64
New Cumberland Gen'l. Depot, New Cumberland, Pa.	251 Signer	9/56
Valley Forge Army Hospital, Phoenixville, Pa.	274 Signer	9/56
U. S. Army, Ft. Campbell, Tennessee	251 Signer	3/63
U. S. Army, Fort Bliss, Texas	250 Endorser	6/61
U. S. Army, Fort Bliss, Texas	274-01 Signer	5/62
Red River Aresenal, Texarkana, Texas	274-01 Signer	4/60
Toole Ordnance Depot, Toole, Utah	272 Counter/Imprinter	2/62
Camp Hanford, Washington	251 Signer	8/56
U. S. Army, Fort Lewis, Washington	272 Counter/Imprinter	8/65
U. S. Army, Fort Lewis, Washington	274-01 Signer	9/65
Madigan Army Hospital, Tacoma, Washington	251 Signer	10/56
U. S. Army, Viet Nam	251 Signer	10/65

U.S. GENERAL ACCOUNTING OFFICE

GAO MANUAL FOR GUIDANCE OF FEDERAL AGENCIES
Title 7--Fiscal Procedures

TRANSMITTAL SHEET NO. 7-34 October 1, 1967

Effective date: Immediately.

Material transmitted

Complete revision of Title 7.

Purpose

1. The primary purpose of this revision of Title 7 is to prescribe in terms of principles and standards the requirements to be observed by Federal departments and agencies in the development, installation, and operation of that part of their financial management system concerned with fiscal operations. As indicated throughout Title 7, responsibility for prescribing certain specific procedures to be followed by agencies in carrying out their fiscal and accounting responsibilities has been assigned to the Treasury Department, the State Department, and the General Services Administration.

2. The principles and standards in th... y to all civil and military departm... wise stated, and are in... principles and ... in Ti...

24.3 PREVENTION OF DUPLICATE PAYMENTS

Agencies shall establish such procedures as may be necessary to prevent duplicate payments.

Vouchers, or voucher-schedules, and supporting documents must be so marked as to prevent their being processed for payment a second time. Documents such as card transportation requests, however, should be marked in such a way as to avoid mutilation ... the ...be them. The

7-62

TS 7-34 10/1/67

once is enough



THIS MAN IS PUZZLED

He has just received a
second check in payment
of one invoice



DID THIS EVER HAPPEN TO YOU ?

Hundreds of firms make duplicate payments every day –

BECAUSE ...

The invoice was not canceled when paid the first time.

The supporting papers were not canceled.

Inexperienced or overburdened help did not readily recognize that the invoice had been paid.

IT MIGHT HAPPEN IN YOUR OFFICE, TOO!

How many invoices do you pay each year?

Each year the average firm pays out 3 to 10 times its net worth.

Even a small leak in disbursements can drain away profits.



Overpayments of a small fraction of one per-cent of annual disbursements can represent a loss equal to several per-cent of a company's profits.

Over two-thirds of all losses from business frauds could be prevented if all invoices and their supporting papers were securely canceled. Proper controls to prevent these accidental or fraudulent losses can be had for little or no cost.



1 Receive everything you pay for

2 Always pay correct amounts

3 Always "kill" the invoice
and all supporting papers



In a stack of papers, it is easy to skip some . . . in fact, it is almost impossible to enforce the stamping of every page in a large bundle . . . and stamped impressions are easy to remove.

THAT IS WHY ORDINARY CANCELING

Ordinary methods of canceling are not only subject to human error but they are a constant source of temptation. Ordinary canceling can be removed from invoices and supporting papers. *It's easier than you think!*



Attaching copy of check or voucher
It is easy to remove invoice and supporting papers, accidentally or intentionally.



Initialing, or writing check number
Often overlooked . . . or unintelligible . . . easy to misread and easy to erase.

METHODS WONT WORK !

Only Cummins Perforators

permanently cancel all papers

and make sure that it is

impossible to pay twice!

Cummins perforates the entire invoice bundle in one operation . . . makes correct, secure cancellation easy!



- PAID INVOICE
- PURCHASE ORDER
- BILL OF LADING
- RECEIVING TICKET
- INSPECTION REPORT

Definitely prevents using uncanceled supporting papers from a paid invoice to support a duplicate of the invoice.



AND REMEMBER ... YOU CAN'T ERASE A HOLE !



You'll never pay the same invoice twice. Cummins Perforators make sure that you can be sure!



- PERFORATE 20 PAPERS AT A TIME
- PERFORATE MANY THOUSANDS PER HOUR
- ABSOLUTELY NO SKILL REQUIRED
- NO SKIPS
- NO MISSES
- NO EFFORT

DATE INCOMING MAIL

NUMBER AND VALIDATE
PURCHASE ORDERS

NUMBER ORDER SETS



Cummins Perforators pay for themselves in other ways, too!

MARK DOCUMENTS
TO INDICATE PROCESSING



NUMBER VOUCHER SETS



NUMBER OUTGOING INVOICES



NOBODY – BUT NOBODY – CAN ERASE A HOLE !

When the problem's paper handling, the word is Cummins

...the best names depend on it

Whether your operations are automated or manual, "once is enough" when initiating a document authorizing payment or action. Such protection is simple and inexpensive . . . with Cummins control. Cummins perforators make good systems *even more effective!*

Recommended by leading Public Accounting Firms Ask Your CPA – He Knows

Ask for a demonstration

IN BUSINESS AND BANKS SINCE 1887

Cummins

CUMMINS-CHICAGO CORPORATION
A CUMMINS-ALLISON COMPANY
4740 N. RAVENSWOOD AVE. • CHICAGO, ILLINOIS 60640
SALES AND SERVICE IN ALL PRINCIPAL CITIES

SINCE 1887

Form No. 13C101-5M-266 Printed in U.S.

CASE HISTORY

ANOTHER SATISFIED USER

U. S. GOVERNMENT (9169)

ACTIVITY: Dept. of Agriculture
Farm Credit Administration

ADDRESS Washington 25, D. C.

APPLICATION: Cancelling voucher or invoice bundles (supporting documents) in compliance with General Accounting Office Regulation 115.

METHOD FORMERLY USED: Hand stamps.

CUMMINS EQUIPMENT IN USE: Model 88 Perforator with word:

METHOD NOW IN USE: Vouchers and supporting documents are marked PAID at the time the documents are verified and scheduled to preclude any re-handling of supporting paperwork. Ability to mark in multiples means that the entire bundle can be marked in the same or less time than it formerly took to stamp one copy.

RESULTS: Better Control - all documents positively marked - no chance for error.

Speed - Marking in multiples creates no additional workload.

Clean: - No inky mess - no skips or misses.

Cancelling Voucher Bundles (102)
(GAO Reg. 115)

Cummins Model 88 Perforator

CASE HISTORY

ANOTHER SATISFIED USER

U. S. GOVERNMENT (9182)

ACTIVITY: U. S. House of Representatives

ADDRESS Banking Facility
U. S. Capitol Building
Washington, D. C.

APPLICATION: Cancelling paid checks to protect the issuers. The character of this banking facility is the same as any bank and they wanted the positive protection of perforation.

METHOD FORMERLY USED: Hand stamping.

CUMMINS EQUIPMENT IN USE: Cummins Model 300-17228 Check Cancelling Perforator with 3 line die:



METHOD NOW IN USE: Checks are cancelled in multiples (15 to 20 at one time) to positively indicate that the checks have been paid, the date paid, and the organizational abbreviation of the Sergeant of Arms of the House of Representatives. There can be no skips or misses and every check is positively and permanently cancelled.

RESULTS: Speed - Ability to mark in multiples saves man hours.

Positive - No skips or misses, no fatigue, no inky mess.

Service - Available locally if required.

Person in Charge: Mr. E. G. Raiden

Cancelling Checks drawn on Banking Facility of
The House of Representatives (101. 1)

Cummins Model 300 Check Cancelling Perforator

CASE HISTORY

ANOTHER SATISFIED USER

U. S. GOVERNMENT (9123)

ACTIVITY: Army & Air Force Exchange Service (9123)

ADDRESS Baltimore, Maryland

APPLICATION: (1) Cancelling Voucher Bundles in the Accounting Section.

(2) Validating Purchase Orders and Change Order Forms XF-3 in Purchasing Section.

METHOD FORMERLY USED: Rubber stamped by hand.

CUMMINS EQUIPMENT IN USE: (1) Accounting Section - 1 Cummins Model 362 Perforator which marks PAID through Voucher and supporting documents in one operation automatically. (2) Purchasing Section - 1 Model 340 Perforator which marks APPROVED, Date and Organizational Unit through all copies of Purchase Order documents to authenticate the action to be taken.



RESULTS: The ability to mark in multiples, automatically with complete legibility through all copies guarantees control of control.

Voucher Cancellation-Purchase Order Validation (302.2)

Model 362 Perforator
Model 340 Perforator

Cummins

Authorized Federal Supply Schedule Price List

General Services Administration Federal Supply Service

FSC GROUP 74 PARTS II AND III OFFICE MACHINES OTHER THAN TYPEWRITERS

Contract No. GS-00S-83021

PERIOD—July 1, 1970 through June 30, 1971

GSA DISTRIBUTION CODES C90, C91, and C94

ITEM NO. 50-137	ENDORSING MACHINES
ITEM NO. 50-138	Attachments and features
ITEM NO. 50-139	Repair Parts
ITEM NO. 50-140	PERFORATING MACHINES
ITEM NO. 50-141	Attachments and features
ITEM NO. 50-142	Repair Parts
ITEM NO. 50-143	CHECK SIGNING MACHINES
ITEM NO. 50-144	Attachments and features
ITEM NO. 50-145	Repair Parts
ITEM NO. 50-148	COIN CHANGING MACHINES
ITEM NO. 50-149	Attachments and features
ITEM NO. 50-149-1	Repair Parts
ITEM NO. 50-153	COUNTING AND/OR IMPRINTING MACHINES
ITEM NO. 50-154	Attachments and features
ITEM NO. 50-155	Repair Parts

ORDER ADDRESS:

CUMMINS CHICAGO CORP.
5913 Georgia Ave., N. W.
Wash., D. C. 20011
Phone AC 202 - 726-4840

CONTRACTOR:

Cummins-Chicago Corp.

4740 NORTH RAVENSWOOD AVENUE
CHICAGO, ILLINOIS 60640

INDEX

CONTRACT INFORMATION

Price List – Index 1
Product Information – Index 2
Delivery and Time of Delivery 3
Terms, Ordering and Payment Address 3
Discount Schedule, Maximum Order Limitation 3
Repair Parts 3
Export Packing 4
Power Plug, Radio Interference (RIF) 4
Installation and Guarantee 4
Geographical List of Service Points 47

INDEX

PRICE LIST

ITEM NO.	50-137	CHECK ENDORSING MACHINES	
		Model 250 Endorser	12
		Model 272 Endorser	14
		Model 274-03 Endorser	16
	50-138	Attachments and features	
		Model 250	12
		Models 272 and 274-03	14-17
	50-139	Repair Parts	3
ITEM NO.	50-140	PERFORATING MACHINES	
		ODP (Original Document Processing) Perforators	5
		88 Series – Manually Operated	6
		900 Series – Manually Operated	11
		300 Series – Electrically Operated	6
	50-141	Attachments and features	
		ODP Perforators	5
		88 – 300 – 900 Series	11
	50-142	Repair Parts	3
ITEM NO.	50-143	CHECK SIGNING MACHINES	
		Model 253 Signer and/or Endorser	12
		Model 273-01 and 274 Signers	15
		Model 274-01 and 275-01 Signers	16
	50-144	Attachments and features	
		Model 253	12
		Models 273-01, 274, 274-01, 275-01	14
	50-145	Repair Parts	3
ITEM NO.	50-148	COIN CHANGING MACHINES	
		Models 56 and 56B	5
	50-149	Attachments and features	5
	50-149-1	Repair Parts	3
ITEM NO.	50-153	COUNTING AND IMPRINTING MACHINES	
		Model 271 (Counting only)	14
		Model 292 Counting and Imprinting	16
	50-154	Attachments and features	
		260 Large Capacity Feeder – 1000 Cards	13
	50-155	Repair Parts	3

SINCE 1887

INDEX

PRODUCT INFORMATION

Perforator Terminology 18
Illustration of Perforating Locations 19
Style List of Perforated Characters in Group Layout 20
Comparative Shapes of Block or Group Layout Letters 21

COIN CHANGING MACHINES 22

MANUALLY OPERATED PERFORATORS

88 Series 24
900 Series 25

ELECTRIC PERFORATORS

ODP (Original Document Processing) Perforators 23
300 Series Standard Perforators 26
Automatic Consecutive Numbering Perforators 29
Special Receipting Perforators 31
Multi-Use Perforators 32
Fixed Die Perforators 34
Standard Wide Head Perforators 36
Tops Left and Tops Right Perforators 38

ENDORSERS – CHECK SIGNERS – COUNTERS

Check Signers and Endorser Terminology 41
250 Series – Endorser and Signers 42
270 Series Automatic Endorsers 43
270 Series Automatic Check Signers 44
270 Series Automatic Counters (Count only) 45
260 Feeder and Hopper Assembly (1000 Card Capacity) 45
292 Counter – Imprinter 46

SINCE 1887

ORDER ADDRESS:

CUMMINS CHICAGO CORP.
5913 Georgia Ave., N. W.
Wash., D. C. 20011
Phone AC 202 - 726-4840

DELIVERY

All prices in this list cover delivery within the 48 contiguous States and the District of Columbia or to ports of embarkation for Alaska, Hawaii, and Puerto Rico. For delivered prices in Alaska, Hawaii or Puerto Rico, add 3% to the prices in this list.

TIME OF DELIVERY

Delivery on all items in this list will be made at destination 1 to 120 days from receipt of order.

TERMS

Net 10 days

ORDERING ADDRESS

Orders may be placed at the home office of the contractor in Chicago or at any office shown on the appended list.

PAYMENT ADDRESS

Payment of invoices should be made to:

Cummins-Chicago Corp.
Post Office Box 66399
AMF O'Hare, Ill. 60666

DISCOUNT SCHEDULE

The following discounts are applicable to Special Item Numbers 50-137, 50-138, 50-140, 50-141, 50-143, 50-144, 50-148, 50-149, 50-153, and 50-154 which items may be combined for quantity discounts on a single order. Delivery may be to different destinations.

DOLLAR VOLUME	GOVERNMENT DISCOUNT
$ .00 to $ 5,000.00	10%
$ 5,001.00 to $10,000.00	13%
$10,001.00 to $25,000.00	16%
$25,001.00 to $50,000.00	18%
$50,001.00 to $75,000.00	20%

REPAIR PARTS

No discounts are applicable to Repair Parts which are covered by Special Item Numbers 50-139, 50-142, 50-145, 50-149-1 and 50-155. Parts will be furnished F.O.B. Destination on at the list prices shown in our 1968 Price List of Parts which is now in use. In most cases, our local offices will issue invoices for parts at destination.

MAXIMUM ORDER LIMITATION

$75,000.00	Special Item Numbers 50-137, 50-138, 50-140, 50-141, 50-148, 50-149, 50-153 and 50-154.
$50,000.00	Special Item Numbers 50-143 and 50-144.
$ 5,000.00	Special Item Numbers 50-139, 50-142, 50-145, 50-149-1 and 50-155.

CONTRACT INFORMATION

EXPORT PACKING

For packing any machine of Export Shipment — $ 40.00

RADIO INTERFERENCE FREE (RIF)

Electric machines offered in this price list are not shielded to eliminate interference. Non-interference electronic wiring to comply with MIL-STD-461, 462 and 463 will be furnished at the following additional cost.

Item No. 50-138	Model 250 Endorser	$ 25.00
	Models 272 and 274-03	55.00
Item No. 50-141	All Electric Models	100.00
Item No. 50-144	Model 253 Signer	25.00
	All Model 270 series	55.00
Item No. 50-154	All Model 270 series	55.00

POWER PLUG TYPE

In accordance with Federal Specification J-C-175 all electrically operated machines covered in this list are equipped with an Underwriter approved integral molded 3-wire cord and 3-prong grounding plug. A 2-prong adaptor is included.

INSTALLATION

Operating instructions and supervision of installation as required.

GUARANTEE

All necessary adjustments of machines procured hereunder, not occasioned by accident or misuse through fault or negligence by the Government, shall be made by the contractor at his own expense, including transportation costs, if any, during the 90-day period after delivery. All machines procured hereunder are guaranteed for a period of 1 year from date of delivery. During the guarantee period all broken or defective parts not caused by accident or misuse through fault or negligence by the Government, must be replaced (including labor and parts) and all necessary machine adjustments occasioned by such defective parts must be made at the contractor's expense, including transportation costs, if any.

ODP PERFORATORS

Item No.	Model		Commercial Price
50-140	316	7 Ring Consecutive Numbering 5 consecutive, 2 manually set	$ 1,875.00
50-140	323	16 Ring Consecutive Numbering 5 consecutive, 11 manually set	2,495.00
50-140	354	Coupon Perforator – 15 Digits	1,275.00
50-140	354	Duplicate Die Block	370.00
50-140	359	Coupon Perforator – 17 Digits	1,412.00
50-140	359	Duplicate Die Block	378.00
50-140	374	Quick Set Coupon Perforator – 15 Digits – Without Key Construction	1,940.00
50-140	374	Duplicate Die Block	370.00
50-140	374	With Key Construction for up to 3 Digits	2,016.00
50-140	374	Duplicate Die Block	395.00
50-141		Key Construction for up to 3 Digits of repetitive data on either 354 or 359	185.00
50-141		Each key for 354, 359 or 374 with Key Construction	12.60
50-141		Twelve Keys required to Encode Days 1 – 31	151.00
50-141		Extended R.H. Guide for Documents other than 15 Digit length (4.594) on 354 or 374 or other than 17 Digit length on 359 (5.194)	80.00
50-140	378	Proof Encoding Perforator	10,290.00
		COIN CHANGERS	
50-148	56A	Coinpayer	395.00
50-148	56B	Coinpayer (Changer) Above prices cover choice of standard or large Coin magazine; either right or left hand delivery; Delivery can either be roll-out chute, bank attachment (Trap Door) or envelope attachment.	395.00
50-149		Additional for dispensing two quarters instead of half dollar	25.00

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

GENERAL LINE PERFORATORS

Item No.	Model		Commercial Price	Extra Die Block
50-140	88	Standard Inscription	$134.00	
50-140	88-02	Special Inscription in .035" punches that can be selected from 6 x 36 group	123.50	
		Add for each character	5.75	
		Add for handle lock	39.50	
		Add for Special Layout	68.25	
50-140	88-04	Special Inscription that can be selected from 6 x 25 group in .046" punches	120.75	
		Add for each character	4.20	
		Add for Special Layout	58.00	
50-140	300	Date Only, .080" Throat	845.00	$200.00
50-140	300-01	3-Line, .080" Throat	885.00	220.00
50-140	300-02	2-Line, .090" Throat	930.00	263.00
50-140	301	Standard Alternate Inscription Top Line – Style 13 Date and 6 x 25 group in third line	945.00	273.00
50-140	302	Style 13 Date, includes 12 special fixed characters, 6 above and/or 6 below date	960.00	290.00
50-140	309	Standard Numbering 6 Rings of Style 13 figures (See Model 313 for Fixed Perforation Pricing)	903.00	220.00
50-140	310	Standard Numbering, 8 Rings of Style 13 figures (See Model 313 for Fixed Perforation Pricing)	940.00	263.00
50-140	311	Standard Style 15 Date (See Model 313 for Fixed Perforation Pricing)	924.00	255.00
50-140	312	Standard Numbering, 6 Rings Style 15 figures (See Model 313 for Fixed Perforation Pricing)	930.00	257.00

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

GENERAL LINE PERFORATORS

SINCE 1887

Item No.	Model		Commercial Price	Extra Die Block
50-140	313	Base, 6 rings or less, .046" Punches, Special to Order	$ 960.00	$273.00
		Add for each ring over six	25.00	7.50
		No Charge for Tops Out Characters		
		No Charge for letters instead of figures on rings		
		Add for first 6 fixed .046" group characters	53.00	53.00
		Add for first 6 fixed .046" characters in Special Layout	105.00	53.00
		Add for each Additional .046" fixed character	4.00	4.00
50-140	314	Base, 6 rings or less, .035" Punches, Special to Order	995.00	285.00
		Add for each ring over six	28.00	9.50
		Add for first 6 fixed characters in group layout	58.00	58.00
		Add for first 6 fixed characters in special layout	103.00	58.00
		Add for each fixed character over six	5.50	5.50
		No Charge for letters instead of figures on rings		
		No Charge for Tops Out Characters		
50-140	315	Standard, 6 figure Consecutive Numbering (5 automatic, 1 Manually set) Style 15 figures	1,830.00	320.00
		Tops Out Construction	189.00	
		(See Mdl. 313 for fixed Perforation Pricing)		
50-140	317	Standard 8 figure Consecutive Numbering (5 automatic, 3 Manually set) Style 3 figures	1,970.00	345.00
		Tops Out Construction	189.00	
		(See Mdl. 314 for fixed Perforation Pricing)		
50-140	320	Standard, Wide Head Consecutive Numbering (5 automatic rings) Style 15 figures	2,260.00	395.00
		Tops Out Construction	189.00	
		(See Mdl. 313 for fixed Perforation Pricing)		
50-140	321	Standard Wide Head Consecutive Numbering (5 automatic rings)	2,470.00	462.00
		Tops Out Construction	189.00	
		(See Mdl. 314 for fixed Perforation Pricing)		
50-140	326	6-figure, horizontal drilled – Top Left Only – Consecutive Numbering – Style 1 characters for 16mm or 8mm film	1,695.00	290.00

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

GENERAL LINE PERFORATORS

Item No.	Model		Commercial Price	
50-140	329	Standard, 35mm Consecutive Numbering Film Perforator, 4 Style 1 characters, Tops Right Only	$1,640.00	$ 300.00
50-140	337	.046" Punches, nine rings or less, to order	1,350.00	395.00
		Add for each ring over nine	25.00	7.50
		Add for each fixed character over six	4.00	4.00
		.046" Inscription Keys, each	42.00	
		.035" Punches, nine or less rings, to order	1,410.00	425.00
		Add for each ring over nine	30.00	10.00
		Add for each fixed character over six	5.75	5.75
		.035" Inscription Keys, each	53.00	
50-140	340	Standard Multi-use, Style 13 date, changeable upper line, 6 x 25 group in bottom line	1,130.00	355.00
		Standard Keys purchased with machine	25.00	
		Standard Keys purchased separately	30.50	
		Special Keys purchased with machine	30.50	
		Special Keys purchased separately	38.00	
50-140	341	Standard, Wide, Head, Multi-use, Single line, 10 different inscriptions to left of Style 13 date	1,180.00	335.00
50-140	342	Standard, Multi-use, Style 13 date, top and bottom lines changeable (See Model 340 for Inscription Key Pricing)	1,180.00	395.00
50-140	345	Standard Validating Perforator, Standard inscription in upper line (like 301), Style 13 Date, Teller, checker, or authorizer identification in lower line controlled by teller key	1,085.00	300.00
		Teller Keys purchased with machine	32.00	
		Teller Keys purchased separately	35.00	
50-140	360	Fixed Perforation, Standard Head, up to 3 lines, 6 or less, .046" group layout Characters	875.00	245.00
		For Special Layout, add	53.00	
		For each character over six, add	4.00	4.00
50-140	360	6 or less, .035" group layout Characters	895.00	255.00
		For Special Layout, add	65.00	
		For each character over six, add	5.75	5.75

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

GENERAL LINE PERFORATORS

SINCE 1887

Item No.	Model		Commercial Price	Extra Die Block
50-140	361	Single 3/16" Visible Punch	$ 760.00	$ 168.00
50-140	362	PAID, .066" Punches	760.00	175.00
50-140	363	CANC'L'D, .066" Punches	875.00	205.00
50-140	364	.066" Punches to order, group layout only, 80 Punches max.	895.00	235.00
50-140	365	Fixed Perforation, Wide Head, up to 2-lines, 6 or less .035" Group Layout Characters (See Model 360 for additional character and special layout pricing)	980.00	285.00
50-140	365	6 or less .046" Group Layout Characters (See Model 360 for additional character and special layout pricing)	960.00	263.00
50-140	380	Wide Head, Single Line, Style 13 Date followed by 6 Style 15 numbers	1,105.00	325.00
50-140	381	Wide Head, Single Line, 12 Rings of Style 15 Numbers	1,185.00	335.00
50-140	382	Wide Head, Single Line, 15 Rings of Style 13 Numbers	1,175.00	330.00
50-140	383	Wide Head, .046" Punches, Special to order, 9 or less rings	1,240.00	315.00
		Add for each additional ring	25.00	7.50
		(See Model 313 for Fixed Character Pricing)		
		No Charge for Letter Rings No Charge for Tops Out Characters		
50-140	384	Wide Head, .035" Punches, Special to order, 9 or less rings	1,275.00	350.00
		Add for each additional ring	28.00	9.50
		(See Model 314 for Fixed Character Pricing)		
		No Charge for Letter Rings No Charge for Tops Out Characters		
50-140	385	Wide Head, Fixed Perforation, to order, up to 3 lines, 6 or less, .046" Fixed Group Layout Characters	1,045.00	295.00
		For Special Layout, add	55.00	
		For each Character over six, add	4.00	4.00

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

GENERAL LINE PERFORATORS

Item No.	Model		Commercial Price	Extra Die Block
50-140	385	6 or less .035" Fixed group layout Characters	$ 1,065.00	$ 305.00
		For Special Layout, add	65.00	
		For each Character over six, add	5.75	5.75
50-140	390	Tops Right or Left, fixed perforation to order, up to 3 lines, 6 or less, .046" Characters in group layout	960.00	275.00
		For first 6 or less, .046" characters in Special Layout, add	55.00	
		Each Character over six	4.00	4.00
50-140	390	6 or less .035" Characters in group layout	980.00	295.00
		For Special Layout, add	65.00	
		For each Character over six, add	5.75	5.75
50-140	391	6 or less rings, Style 13 numbers, Tops Right or Left, single line only	990.00	235.00
		Add for each additional ring	25.00	7.50
50-140	392	6 Rings of Style 15 numbers, single line only	1,015.00	245.00
50-140	393	8 Rings of Style 13 numbers, single line only	1,045.00	250.00
50-140	394	Style 13 Date, single line only	960.00	235.00
50-140	395	6 or less rings, .035" Punches, any characters	1,105.00	295.00
		Add for each additional ring over 6	28.00	9.50
		No Charge for Letter rings		
50-140	396	Tops Right or Left, but 2-line, Style 13 figures, 6 or less rings	1,090.00	235.00
		Add for each additional ring	25.00	7.50
		Price Special Fixed Characters as for 313		
		No Charge for Letter Rings		
50-140	397	Tops Right or Left, two line, .035" Punches, condensed perforation, 6 or less rings	1,275.00	320.00
		Add for each additional ring	28.00	9.50
		For Special Fixed Characters see 314 Pricing		
		No Charge for Letter Rings		
50-140	398	Tops Right or Left, 3-line, Style 13 Date	990.00	235.00
		Add for Fixed Characters Per 313 Pricing		
50-140	399	Tops Right or Left, 3-line, .035" Punches to order, for 6 or less rings	1,180.00	290.00
		Add for each additional Ring	28.00	9.50
		Add for Fixed Characters Per 314 Pricing		

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

Item No.		Commercial Price
50-141	Optional Equipment for 88, 300 & 900 Series	
	Foot Trip Switch & Cord	$ 50.00
	Finger Trip	39.00
	Speed Trip Added	50.00
	Switch Lock and Keys	50.00
	Model 88 Handle Lock	39.00
	Handle Lock on 900 Series Models	45.00
	Selector Ring Lock	50.00
	Substituting Letter Rings for Number Rings, per ring	28.00
	Tops Out Construction on 301, 302, 309, 310, 311, 312, 337, 340, 342, 345, 380, 381, or 382	34.00
	Wiring 300 Series Machine for 110 volt DC	84.00
	Wiring 300 Series Machine for 110 volt, 25 cycle AC	34.00
	Wiring 300 Series Machine for 220 volt, 50 or 60 cycle AC	115.00
	Special Fixed Guide	39.00
	Adjustable Guide	79.00
	Feed Table, plain, for other than 390 Series	79.00
	Feed Table, plain, for 390 Series	97.00
	Feed Table with Guides	120.00
	Short "X" Type Die Block, Standard Head	58.00
	Short "X" Type Die Block, Wide Head	79.00
	Non-Standard Die Block Throat Opening	45.00
	Special Black Selector Rings with Luminous Index Figures, per ring	17.50
	Automatic Advance Carbon Roll Attachment	790.00
	Key controlled groups (1, 2, or 3) in Coupon Perforator, to left of calendar unit	185.00
	Each Key for above	12.60
	900 Series Manual Perforators	
50-140	With the exception of the 300-02, the 345, 374, and the 359, all 300 series models have an equivalent model, using the same die block, in the 900 series. To arrive at the price of a 900 series model, subtract $350.00 from the price of the equivalent 300 series model.	

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

ENDORSERS, SIGNERS

Item No.	Model		Commercial Price
50-137	250	Endorser with standard date bands and 1 die	$ 865.00
	253	Combination—Signer or Dating Signer with check guide, key-reset counting meter, cover lock, switch lock and including 1 die, either endorsement or signature	1,005.00
50-138	250 Series Endorsers & Signer Accessories and Optional Equipment		
		Adjustable Stand	97.00
		Single Endorsing or Signing Die purchased additional or separately (Includes endorsement set in type or single facsimile signature)	68.00
		Add for title added to facsimile signature die (See page 13)	12.60
		Add for Background for signature die (See page 13)	12.60
		Add for Amount Overlay on signature die	12.60
		Add for Facsimile signature included in endorsement	26.50
		Add for Construction of die providing Changeable line or lines of type by means of channel in which rubber slugs are inserted, per each die so constructed	34.00
		Add for each type slug	4.50
		Add for signer type date instead of standard date unit used on endorser	17.00
		Add for "Small" Brass Date Wheels (necessary when stylus set batch wheels are used)	57.00
		Add for each stylus-set "Small" batch numbering wheel	23.00
		Key reset counting meter	79.00
		Knob reset counting meter	68.00
		For long, instead of short, check guide	14.00
		Long Check Guide purchased separately	68.00
		Short Check Guide purchased separately	57.50
		Signer Table Extension	25.00
		Deep Well base (for checks over 5" but not over 8¼ in height)	260.00
		Cover Lock	40.00
		Switch Lock	40.00
		Motor other than 110 volt, 60 cycle, single phase AC	63.00

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

Item No.	Model		Commercial Price
50-138		Following Prices for Rapidset and Consecutive Numbering Mechanisms Cover all Charges that need to be Added to Base Price of Model 250 Machine.	
		Rapidset controlling 4 or less number wheels preceding standard or Julian date	$ 655.00
		Rapidset controlling 5 number wheels preceding either complete Julian date or standard date with year omitted	695.00
		Add to any of these arrangements for construction in which Rapidset number wheels follow rather than precede date	63.00
		Automatic advance controlling 4 or less number wheels preceding standard or Julian date	625.00
		Automatic advance controlling 5 number wheels preceding either a complete Julian date or standard date with year omitted	710.00
		Add to any of above for special construction in which consecutive advance wheels follow, rather than precede, date	68.00

U. S. GOVERNMENT SIGNATURE DIE PRICING

There is no additional charge on government signature die orders for borders and titles on signature die and signer orders sold to the Army, Air Force, Navy, Post Office, or the Marine Corps. These charges are listed on pages 12 and 15.

We have borders and titles on hand for these five activities. However, there might be instances where these charges would apply on a government sale where we have not previously made a signature die for them.

50-154	260	1000 Card Capacity Feeder and Hopper Assembly	790.00
		Add $790.00 to price of 270 Series model that 260 assembly is to be installed on. Device then becomes equivalent model in 260 Series.	

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

ENDORSERS, SIGNERS, COUNTERS

Item No.	Model		Commercial Price
50-153	271	Automatic Card Counter, equipped with Accur-Matic Feed and two 4-digit, Sodeco Counting meters. One counter is ascending, the other is descending and is settable for a predetermined count, shutting off the feed when that count is reached. No imprinting mechanism.	$ 1,590.00
50-153	271-01	Automatic Card Counter with only ascending 4-digit Sodeco Counting meter, without predetermined count feature. No imprinting mechanism	1,130.00
50-153	271-03	Counts paper items rather than punched cards	1,130.00
50-137	272	Horizontal, Center Feeding and Center Printing Tallyprinter for endorsing and similar imprinting, equipped with Accur-Matic Feed, large-figure rubber date units, hopper cut-off switch, and one set of two dies	1,940.00
50-138		272 and 274-03 OPTIONAL FEATURES	
		Signer-type rubber date units instead of fixed type, additional	40.50
		Optional small, stylus-set brass wheel date units instead or rubber date bands, additional	115.50
		For each batch numeral marked by optional small brass batch wheels (cannot be used unless small brass date wheels are used instead of rubber)	46.00
		Rapidset, Automatic Consecutive, or Gear Connected Date and Batch Wheel Construction	See Page 17
		Optional 4-digit ascending Sodeco Counting Meter, outside mounted on left, as on 292, single lever reset to zero, 4-digit	152.00
		Optional meter, as above but 6-digit	225.00
		Optional Sodeco double counter assembly, same as used on 271 (Hopper cut-off switch is omitted when this is used)	462.00
		Optional Non-print Switch	63.00
		Optional Cover Lock	40.00
		Optional Switch Lock	40.00
		Adjustable Stand	98.00
		Additional set of two dies (printing plates)	126.00

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

Item No.	Model		Commercial Price
		272 and 274-03 – Optional Features – Cont'd.	
50-138		Add for construction of imprinting dies permitting changes of wording by means of channels in which rubber slugs can be inserted, for each pair of dies so constructed	$ 69.00
		Add for each pair of type slugs for channels	11.50
		Facsimile signature included in endorsement	29.00
		Motor other than 110 volt, 60 cycle single phase, alternating current (net)	63.00
		Jogger Plate on cover	17.00
50-143	273-01	Vertical, left-of-center Feeding, Center Printing, Tallyprinter equipped with signing controls, including Accur-Matic Feed; 6-digit, knob-reset, counting meter inside lockable cover; switch lock; and one signature die	2,410.00
50-144		Optional Lock for Counter Knob	63.00
		Adjustable Stand	98.00
		Additional Signature Die	69.00
		Amount Overly, background or title on signature dies, each (If all three are used, charge is $30.00) (See page 13)	12.60
		Motor other than 110 volt, 60 cycle single phase, alternating current (net)	69.00
50-143	274	Horizontal, Center Feeding, left-of-center Printing, Tallyprinter equipped with signing controls, including Accur-Matic Feed, signer type rubber date unit (if wanted), 6-Digit, knob-reset counter inside of lockable cover, switch lock, and one set of two dies	2,005.00
50-144		Same options available as for 273-01 except that two dies are required for each additional signature at $120.00 per pair, plus these additional options:	
		Small brass date wheels instead of rubber date unit	126.00
		For each batch numeral marked by small brass batch wheels, (only available when brass date wheels are used instead of rubber date bands)	46.00
		Feeder Back Plate extension, guide finger, and hopper incline plate for checks over 5½" high	126.00

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

ENDORSERS, SIGNERS, COUNTERS

Item No.	Model		Commercial Price
50-143	274-01	Horizontal, right-of-center Feeding, left-of-center Printing, Tallyprinter equipped with signing controls, including Accur-Matic Feed; signer type rubber date unit (if wanted) 6-digit, knob-reset, counter inside of lockable cover; switch lock and one set of two dies	$ 2,250.00
		(Used when signature must be extremely close to right end of check as on federal paychecks)	
		Available optional equipment same as for Model 274, except that 274-01 cannot be used for both signing and endorsing, consequently jogger is not required.	
50-137	274-03	Horizontal, left-of-center Feeding, left-of-center Printing, Tallyprinter for endorsing and other imprinting at left end of document, equipped with Accur-Matic Feed; large-figure, rubber date units; hopper cut-off switch; and one set of two dies	1,940.00
		Options identical to Model 272 except that use of an electric jogger is recommended to obtain best performance of 274-03.	
50-143	275-01	Vertical, right-of-center Feeding, Center Printing, Tallyprinter equipped with signing controls, including Accur-Matic Feed; 6-Digit, knob-reset, counter inside of lockable cover; switch lock; and signature die	2,410.00
		Available optional equipment same as for Model 273-01	
50-153	292	Horizontal, Center-Feeding, Center-Printing, Tallyprinter for canceling and other imprinting, equipped with Accur-Matic Feed; large-figure, rubber date units; outside mounted, 4-Digit, ascending Sodeco counter with single lever reset to zero; non-print switch; and hopper cut-off switch	2,075.00
50-154		No optional equipment available except 6-Digit, instead of 4-Digit counter at $80.00.	

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

Item No.		Commercial Price
50-138	SPECIAL RAPIDSET, AUTOMATIC CONSECUTIVE AND GEAR-CONNECTED NUMBERING WHEEL CONSTRUCTION AVAILABLE ON MODELS 272 & 274-03 ENDORSERS	
	Rapidset Mechanism controlling 4 or less steel numbering wheels preceding standard (AUG 31, '69) or Julian (2439) date. Date marked by large brass wheels with month and day wheels geared together between date units so only one unit has to be set	$ 765.00
	As above, but with 5 Rapidset wheels preceding either a Julian date or standard date without year	835.00
	Add to any of above for construction in which the Rapidset wheels will follow rather than precede the date as printed and read	63.00
	Automatic advance mechanism controlling 4 or less steel numbering wheels preceding standard (AUG 31, '69) or Julian (2439) date. Date marked by large brass wheels with month and day wheels geared together between the two date units so that only one unit has to be set	780.00
	As above, but with 5 automatic consecutive numbering wheels preceding either a Julian date or a standard date without year	850.50
	Add to any of preceding 3 automatic arrangements for special duplicate numbering mechanism which advances number with every other impression instead of each impression	144.00
	Add to any of the 3 automatic consecutive arrangements for having the number follow rather than precede the date when printed and read	63.00
	For construction without either Rapidset or Consecutive mechanism but with the large brass date wheels used with those mechanisms connected by gears so that setting one date unit sets the other	435.00
	When above construction is used, for each batch numeral marked, (each pair of wheels gear-connected between the date units like the above date wheels) add	69.00

DISCOUNT SCHEDULE – EACH ORDER Item No's. 50-137, 138, 140, 141, 143, 144, 148, 149, 153 and 154 may be combined for quantity discount.	$ 0 to 5,000 10%	$ 5,001 to 10,000 13%	$ 10,001 to 25,000 16%	$ 25,001 to 50,000 18%	$ 50,001 to 75,000 20%

PERFORATOR TERMINOLOGY

PERFORATOR: A machine for punching holes which form letters, numbers, or symbols through single or multiple sheets of paper or similar material. The only effective, permanent, and multiple method of marking is by perforation.

CHARACTERS: Letters, numbers or symbols to be perforated. Fixed characters are set up in the perforator at the factory and cannot be changed. Changeable characters are controlled by Selector Rings or Selector Keys. Changeable characters are used for dating, consecutive numbering and operator identification.

SELECTOR RINGS: Wheels or cylinders which control changeable characters. Selector Rings have a number of flat faces, each of which controls a different character (usually a total of 11 faces per ring: 10 characters and 1 blank). A Selector Ring can be turned to choose the character to be perforated.

SELECTOR KEYS: A flat piece of metal which fits into a perforator and selects alternate inscription lines not controlled by selector rings. Its purpose is to change the character which has been built into a fixed character line. The Selector Key does this by choosing those punches in the fixed character line which can be used to form a different inscription.

PUNCH GROUP: The punches located under a selector ring and controlled by that ring.

GROUP LAYOUT: The formation of any perforated character in which the punches used are selected from a rectangular field.

DIE BLOCK ASSEMBLY: A removable unit containing all of the cutting parts of a perforator.

"TOPS IN": Locates the perforation from the top of the material. The tops of the characters point into the perforator. The selector rings read from left to right.

"TOPS LEFT": Locates the perforation anywhere along the right hand side of the material. The tops of the characters point to the left of the operator. The selector rings read from front to rear.

"TOPS OUT": Locates the perforation from the bottom of the material. The tops of the characters point away from the perforator, toward the operator. The selector rings read from right to left.

"TOPS RIGHT": Locates the perforation anywhere along the left hand side of the material. The tops of the characters point to the right of the operator. The selector rings read from rear to front.

GUIDE: A stop placed in or near the die block assembly opening of a perforator. Its purpose is to properly locate a perforated inscription. Guides can be either fixed (immovable) or adjustable.

Part Name	Part No.		IN ACCORD WITH ENG. DWG. CHG.	SHEET_____
Material	Date Typed	Writer Date		

Op. NO.	Operation Instruction	Machine	Tools and Gages	FEED	RPM.	CHANGES

This page illustrates the various locations of a perforation on a form that would be possible with various positionings of the characters in the perforator marking them, when the characters must appear with the tops in the same direction as the printing on the form.







Arrow at each perforation points toward back of machine at time sheet was inserted to make that perforation.



NOTE: All perforation samples as shown are actual size.

STYLE LIST OF PERFORATED CHARACTERS IN GROUP LAYOUT

The capacity per Stroke of any Perforating Machine is governed by:
Size (strenght) of the punches;
Number of punches operative at one time;
Spacing between punches;
Strenght of machine itself.
Capacities are based on thickness of labels, checks, invoices, etc. thickness varies .003 to .005

SMALL LAYOUT

.035" Punches
.056" Distance between centers
.055" Maximum throat opening



No. 1 6x3



No. 3 6x4



No. 2 5x4

INTERMEDIATE LAYOUT

.035" Punches
.062" Distance between centers
.055" Maximum throat opening



No. 5 6x3



No. 7 6x4



No. 6 5x4

STANDARD LAYOUT

.046" Punches
.075" Distance between centers
.080" Maximum throat opening



No. 13 6x3



No. 15 6x4



No. 14 5x4

NOTE: All perforation samples as shown are actual size.

COMPARATIVE SHAPES OF "BLOCK" OR "GROUP LAYOUT" LETTERS

Although these are all shown in the Small Layout (Styles 1, 2 and 3) letters of the same height and width in number of punches can be selected from the Intermediate and Standard Group Layouts shown on preceding pages. Styles 1, 5 and 13 use the same number of punches - 6 holes high x 3 holes wide - but vary as to the 3, 7 and 15. Where letters are missing and asterisk is shown, that letter cannot be formed from that width group.

STYLE 1



6 HOLES HIGH BY 3 HOLES WIDE

STYLE 2



5 HOLES HIGH BY 4 HOLES WIDE

STYLE 3



6 HOLES HIGH BY 4 HOLES WIDE

SPECIAL LETTERS

5 HOLES HIGH BY 3 HOLES WIDE

SPECIAL FIGURES

5 HOLES HIGH BY 3 HOLES WIDE

SPECIAL LETTERS

5 HOLES HIGH BY 5 HOLES WIDE

SPECIAL LETTERS

6 HOLES HIGH BY 5 HOLES WIDE

As comparisons of the above will show, there is no advantage of legibility in forming most letters 5 holes wide. On a Selector Ring which must carry M or W, which can only be made 5 holes wide, letters other than I, M, T, V, W and Y are usually made only 4 holes wide.

SINCE 1887

COIN DISPENSING MACHINES

ITEM NO. 50–148

SPECIFICATIONS

12" wide x 12" deep
Lenght of chute 8" – 12"
Height dependes on both length of chute and coin magazine used. Height varies from 11½" with 8" chute and standard magazine to 15½" with 12" chute and extra-capacity magazine.
Weight: 21 pounds net, 28 pounds packed.



MODEL 56A CHANGER
with 8" chute on left

Speeds cashiering operations, prevents annoying and costly "wrong change" complaints, fully guaranteed to consistently deliver correct amounts.

Available in both payer models (A), which dispense amount keyed, and changer models (B), which dispense change from $1.00, .75 or .50 for transaction amount keyed. Choice of right or left-hand delivery with either roll-out chute, teller trap door, or payroll envelope attachement, as preferred. Roll-out chute comes in choice of two lenghts, 8" or 12". Extra-capacity coin magazine also available instead of standard magazine without additional charge.

ITEM NO. 50–140

CUMMINS 354 15 RING ODP COUPON PERFORATOR



In single actuation, fills in 12 payment coupons and accompanying insert pages with 15 figures comprising complete payment information. These figures are equally legible to customers, tellers and the reading heads of ODP Readers and Sorters.

Since all the pages in any one book of payment coupons are filled-in from a single setting of the selector rings, no verification is required that all coupons carry the same information. Since the holes that form the legible figures read by customers and tellers are the same holes that will be read by the reader or sorter, no mechanical verification is necessary.

Additional information, such as month payment is due, that does not need to be machine-readable, can be filled-in simultaneously with primary information.

CUMMINS 359 17, RING ODP COUPON PERFORATOR

Used only when the machine-readable information required cannot be indicated with the 15 digits available on the 354.



CUMMINS 374 15 Ring ODP Coupon Perforator

Faster digit selecting mechanism, more convenient actuating switch, and faster month selection combine to provide 30% faster preparation of payment or other coupon books than the Model 354.

Specifications:
8" wide x 13" deep x 13" high.
110 Volt 60 cycle Single Phase AC
Weight - 52 pounds.

88 "CUB" PERFORATORS

ITEM NO. 50–140

The Cummins Cub is designed to fill an unlimited variety of jobs for which a non-changeable perforator will serve. Ruggedly constructed with few moving parts, it will give many years of dependable, trouble-free service. Among the variety of uses for The Cub are marking government bonds, bills and notes non-negotiable under the terms of Treasury Department Circular 853; "Proof" marking on photographs, voiding samples of printing and forms, checks and other instruments that have been spoiled; identifying specimen insurance policies, check forms and similar items to prevent misuse; approval marking on authorizations; validating bills of lading, cancelling invoices, payrolls, coupons, notes, receipts, motor vehicle inspection stickers and many others; and for identifying any sort of document or material which is widely circulated throughout various offices.

Cummins 88 Cub features as standard equipment the Cummins "Roll-A-Way Receiver" one of the most significant innovations in the perforator field since the development of movable punches. This ingenious device permits complete freedom in locating perforations on documents of almost any size. There are no restrictions as to position or depth of insertion because of limited throat depth or obstructing stops and guides.

CUMMINS 88
Item 50-140

CUMMINS 88 .045 diameter punch
With any standard layout shown below:



Cummins 88-02
Special inscription in .035" diameter punches that can be set up in a standard group layout 6 holes high x 31 holes wide.

Special layouts in .035" diameter punches require a special layout charge which applies only to the first machine with the same layout.

Cummins 88-04
Special inscription in .046" diameter punches that can be set up in a standard group layout 6 holes high x 25 holes wide.

Special layouts in .046" diameter punches require a special layout charge which applies only to the first machine with the same layout.

900 HAND OPERATED PERFORATORS

SINCE 1887

SPECIFICATIONS
8" wide x 10 ½" deep x 15 ½" high
(at highest point of handle)
Weighs 26 pounds

Cancels up to 20 papers at each actuation; speed of 5000 pages per hour easily achieved by inexperienced operator.

Date changed in an instant - no loose type or removeable pins.

Uses same easily removeable die block unit as electrically operated Model 300. Unique cam action gives easiest operation ever available in a manual perforator.

900 SERIES MANUAL PERFORATORS

With the exception of the 300-02, the 345, 374, and the 359, all 300 series models have an equivalent model, using the same die block, in the 900 series.

SINCE 1887

300 STANDARD PERFORATORS

ITEM NO. 50-140

SPECIFICATIONS

8" wide x 13" deep x 11" high
Weighs 50 pounds
Series Motor momentarily draws
10 amperes of 110 volt,
60 cycle, single phase
alternating current.

Model 300-01

Cancels up to 20 papers at each actuation; speed of 15,000 pages per hour easily achieved by inexperienced operator.

Trips automatically on insertion of checks or papers.

Date changed in an instant - no loose type or removable pins - safety cut-off prevents operation when date rings are not in register.

There are many more Cummins 300's in use than the total of all other makes and models of perforators ever manufactured.

300 STANDARD PERFORATORS

SINCE 1887

ITEM NO. 50-140

CUMMINS 300



300
One Line Perforation — Style No. 13 Date

300–01
Three Line Perforation - Paid, Style No. 13, Date and any numbers or initials that can be set up in 6 holes high x 25 holes wide DRILLED SOLID GROUP

300–02
Two Line Perforation - Style No. 13 Date and any number or initials that can be set up in 6 holes high x 25 holes wide DRILLED SOLID GROUP above date.

CUMMINS 301



Same as 300-01 but with any standard anternate inscription shown below substituted for the word PAID

CANC'L'D	AUD'T'D	CASH	REF'ND
ENT'D	SH'P'D	C O D	PD OUT
REC'D	TAB'D	VALID	PAGADO
V'CH'R'D	CH'G'D	PREP'D	CANCELADO
VOID			

CUMMINS 302



Style No. 13 Date with special fixed wording above and/or below the date

CUMMINS 309



Single line perforation, 6 selector rings of Style No. 13 numbers

NOTE: All perforation samples as shown are actual size.

300 STANDARD PERFORATORS

ITEM NO. 50-140

CUMMINS 310



8 Selector Rings - Style No. 13 Numbers. Can be used for either dating or numbering. For dating the 3rd and 6th rings are set on blank position.

CUMMINS 311



6 Selector Rings - Style No. 15 Date.

CUMMINS 312



6 Selector Rings - Style 15 Numbers.

Models 309 - 310 - 311 - 312 are normally used for single line perforations. Special fixed characters can be installed in these four models above and/or below the date or number when required.

CUMMINS 313



Special Selector Rings - For any arrangement other than standard. Maximum Selector Ring spread 2.550 inches. Selector Ring line using .046 diameter punches and in Style 13, 14, 15, or 5 hole wide characters with same punch spacing.

Special fixed characters can be installed above and/or below Selector Ring line as required.

CUMMINS 314



Special Selector Rings - For any arrangement other than standard. Maximum Selector Ring spread 2.550 inches. Selector Ring line using .035 diameter punches and in Styles 1, 2, 3 or 5 hole wide characters with the same punch spacing. Also available using Styles 5, 6, 7 or 5 hole wide characters with same punch spacing.

Special fixed characters can be installed above and/or below Selector Ring line as required.

NOTE: All perforation samples as shown are actual size.

AUTOMATIC CONSECUTIVE NUMBERING MACHINES

SINCE 1887

ITEM NO. 50-140

The Cummins 315, 316, 317, 320 and 321 perforators are rugged machines built to perform a heavy duty job of automatic numbering. With these sturdy machines, bundles of as many as 20 sheets of paper - or other materials - are numbered in sequence. Insertion of the paper actuates the machine, and the numbers advance automatically after each perforation (if desired, a repeat bar can be provided). All of those machines shut off automatically when the cover is opened.



CUMMINS 320-321

Cummins consecutive numbering perforators are designed to handle many applications. They are a perfect choice for numbering invoices, assigning numbers to incoming items, marking paying voucher numbers on vendor's invoices, numbering multiple copy house orders, scheduling and order - numbering item slips, dating and numbering multicopy voucher checks - and any operation requiring the marking of an advancing number on more than one paper.

All Cummins consecutive numbering perforators have five selector rings which are controlled by the automatic advancing mechanism. These are the five right-hand rings, numbering to 99,999. The models vary in size of character marked and in the number of manually controlled digits. By setting a sixth manually controlled ring, to the left of the five automatic rings once every 100,000 actuations, numbering can be had to 999,999. Models 320 and 321 provide a much higher, numbering by using more manually controlled rings. These can be spaced according to the customer's preference.

AUTOMATIC CONSECUTIVE NUMBERING MACHINES

ITEM NO. 50-140

CUMMINS 315



6 Selector Rings of Style 14 of Style 15 characters. .046" diameter punches. Five automatic rings on right - one manually set ring on left.

Special fixed characters in top line only, if required.

CUMMINS 317



6 Selector Rings of Style 2 or Style 3 characters. .035 diameter punches. Five automatic rings on right - one manually set ring on left.

Special fixed characters in top line only, if required.

CUMMINS 320



5 Automatic Rings on right in Style 15 characters only. Pin set rings to the left can be any combination of Style 13, 14, 15 or 5 hole wide characters. Maximum ring spread 4.8 inches. Special fixed characters in top line only, if required.

CUMMINS 321



5 Automatic Rings on right in Style 2 or Style 3 characters. Pin set rings to the left can be any combination of Style 1, 2, 3 or 5 hole wide Characters. Maximum ring spread 4.8 inches

CUMMINS 326 – For 16 mm. film



Model 326 has Style 1 horizontally drilled selector rings. 4 Automatic rings on right and 2 pin set rings on left. .035 diameter punches.

CUMMINS 329 – For 35 mm. film

Model 329 has 4 Style 1 Automatic numbering rings, tops right construction. Perforates across the width of the film and cuts off the film leader at the same time. For "Tailless" film knife may be disengaged.

NOTE: All perforation samples as shown are actual size.

SPECIAL RECEIPTING PERFORATORS

ITEM NO. 50-140

The Cummins 337 is for those jobs where a large amount of fixed wording must be perforated, plus a date. It is commonly used in tax bill receipting. Many government agencies insist on spelling out not only the name of the organization, but also the name of the treasurer or collector - hence the Cummins 337. It is available with or without teller key construction - if no teller key is used, the extra area is available for additional fixed wording.



CUMMINS 337

CUMMINS 337



The Cummins Model 337 is one of the most versatile perforators that we manufacture. It can be made with inscription key groups in either the top or bottom lines. It is available in both the .035 and .046 diameter punches. The machine is especially adaptable to applications where a large amount of wording is wanted on inscription keys. Ring spread is 4,500".

Selector Ring Line - Dating or numbering any size character using .035 and .046 diameter punches.

Top and Bottom Lines-Key Group or Fixed Perforations.

MULTI-USE PERFORATORS

ITEM NO. 50-140

The Cummins machines from 340 through 345 are multi-use perforators in which the inscriptions can be changed. The Cummins 340 is so constructed that the inscription perforated in the top line - PAID, REC'D., ENT'D., etc., can be changed by merely removing one inscription key and inserting another. The 341 is provided with ten different inscriptions as well as a blank position selected by rotating a wide selector ring on a line with the date.

The 342 is the most versatile perforator that has ever been manufactured. The top and botton line of the perforation can be changed by the use of inscription keys in addition to the standard variations possible in the selector ring line. The variations which are possible in this series are almost limitless - one or more of the distinct features of the 340 Series can be combined to produce almost any desired perforation. For example, the selector wheels on the Model 342 are so arranged that they can be used for numbering up to eight (8) digits (99,999,999) as well as for dating. Permanent initials are available in the 340 at no extra charge. Most important, the different departments can have inscription keys - insuring the proper inscription for each departmental operation.

The Cummins 345 will not operate unless an inscription key is inserted to identify the operator. This makes it ideal for validating signature cards, ledger cards, purchase orders, requisitions, meal tickets, government licenses, and a multitude of other forms.

CUMMINS 342

CUMMINS 340



Style No. 13 Date. .046 Diameter punches.
Top Line - Selected by Inscription Key in 5 holes high x 34 holes wide group of punches.

Bottom Line - Characters which can be set in standard 6 holes high x 25 holes wide drilled solid group.

STANDARD REMOVABLE KEYS IN STOCK:

PAID	SH'P'D	REF'ND
CANCLD	TAB'D	PD OUT
ENT'D	CH'G'D	PAGADO
REC'D	CASH	CANCELADO
V'CH'R'D	COD	AUD'T'D
VOID	PREP'D	VALID

OTHER REMOVEABLE KEYS * DRILLED TO ORDER

MULTI-USE PERFORATORS

ITEM NO. 50-140

CUMMINS 341



.046 diameter punches.

One wide Selector Ring on left drilled to select ten different inscriptions. Style No. 13 Date to right and on same line. Inscriptions include:

PAID, CANCLD, REC'D, ENT'D, V'CH'R'D, VOID, CH'G'D, CASH, SHIPPED, PD OUT and blank.

CUMMINS 342



Model 342 has both top and bottom lines of the perforation controlled by inscription keys, and each of the 8 selector rings carry all figures from 1 to 0 (Style 13) and a blank position. Can be used for numbering and dating. When used as a dater set the 3rd and 6th rings on blank. Removeable keys can be used in either top or bottom positions.

Standard Keys: PAID, CANC'L'D, ENT'D, REC'D, V'CH'R'D', VOID, SH'P'D, TAB'D, CH'G'D, CASH, COD, PREP'D, VALID, APPR'V'D, REF'ND, PD OUT, AUD'T'D, PAGADO, CANCELADO.

Special Keys: Drilled to order.

CUMMINS 345



When a controlled validation is required the Model 345 will not operate unless an inscription key is inserted into the machine to identify the operator. No one without a key can operate the machine.

Keys drilled for any combination of characters that can be selected from 5 holes high x 17 holes wide group.

Style No. 13 Date. Top Line: Any Standard inscription available for Models 300 and 301 or special wording or symbol exclusive with purchaser.

NOTE: All perforation samples as shown are actual size.

360 "TYPE" FIXED DIE PERFORATORS

ITEM NO. 50-140

The Cummins 360 type machine is designed for marking only fixed characters without any selector rings. The Cummins 360 fixed die perforator built for marking permanent fixed characters in three lines has no selector rings at all. It can use a larger diameter punch than possible in a selector ring type perforator - and it also can perforate larger quantities of material in one operation.

CUMMINS 361

The Cummins 361 is a single hole perforator and is unique in that it affords absolute visibility as to the placement of the perforation. It is a many application machine . . . it is used principally for canceling coupons which have been detached from bonds, canceling spent merchandise coupons and other value items which are too small for more than a single hole perforator. The 361 can be furnished with a specially shaped punch for canceling Government bond coupons by Federal Reserve Banks.



CUMMINS 360-362-363-364-365

The Cummins 364 can be provided with such inscriptions as VOID, COD, ENT'D or other characters which can be set up in a group of punches 5 holes high x 40 holes long. The perforation cannot excede more than 80 punches.

The Cummins 365 is a low-priced machine for special fixed perforations which exceed the limitation of the Cummins 364. It provides a single line perforation for use on many canceling, validating or special marking applications.

360 "TYPE" FIXED DIE PERFORATORS

SINCE 1887

ITEM NO. 50-140

CUMMINS 360



Built to order for marking permanent fixed characters up to three lines with either .035 or .046 diameter punches.

Group Layout or Special Layout maybe used. Maximum line length 2.555 inches.

CUMMINS 361

Single 3/16" Punch. 1/4" Throat Capacity

CUMMINS 362



Fixed Die using .066 diameter punches. .100" Throat capacity.

CUMMINS 363



Fixed die using .066 diameter punches. .100 Throat capacity.

CUMMINS 364



Fixed characters that can be set up in 5 hole high .066 diameter punch group layout requiring not more than 80 Punches. .090" Throat opening.

CUMMINS 365



Special Fixed Perforations using .035", .046" or .066" diameter punches. One or two lines. Maximum length of line 4½". Throat opening varies with size of punch used and layout.

NOTE: All perforation samples as shown are actual size

STANDARD WIDE HEAD PERFORATORS

ITEM NO. 50-140

The Cummins 380 type covers all wide head machines, except the Cummins 341. The Cummins 380, 381, and 382 perforators are commonly used for serial numbering and dating, perforating forms with various markings which include department, section, and serial numbers - all in a single operation. Any application requiring more than nine (9) characters can be accomplished with the Cummins 380, 381, or 382.

The Cummins 380 has dating rings on the left and 6 manually-set selector rings for numbering on the right.

The Cummins 381 has twelve manually-set selector rings in style 15 figures.

The Cummins 382 has a standard perforation on the left and fifteen manually-set selector rings in style 13 figures on the right.

The Cummins 380, 381, and 382 can be provided with a limited amount of fixed wording on top and bottom line.

The Cummins 383 is widely used for combined numbering or lettering and dating which involve special rings and spacing. The top line, the selector ring line (accommodating characters up to 4-½" wide) and the bottom line are all special - making possible a multitude of special applications which demand an unusual combination of dating and numbering requirements.

The Cummins 384 is similar to Model 383 but with smaller punches. Numbering, dating, and coding of film in hospitals and laboratories is a widely used application.

The Cummins 385 fixed perforator is designed for extreme applications. Occasionally, legal rectrictions require the spelling out of all words and names in a cancelation. For this purpose, the Cummins 385 has been designed to handle unusually large special fixed perforations.



CUMMINS 380

CUMMINS 380



Style No. 13 Date at left and 6 Rings of Style 15 number at right. .046" Diameter punches. Throat opening .070"

Top and bottom lines - special to order.

NOTE: All perforation samples as shown are actual size.

STANDARD WIDE HEAD PERFORATORS

SINCE 1887

ITEM NO. 50-140

CUMMINS 381



12 Selector Rings - Style No. 15 Numbers. .046" diameter punches. Throat opening .070".

CUMMINS 382



15 Selector Rings - Style No. 13 Numbers. .046" diameter punches. Throat opening .070".

CUMMINS 383



Special arrangement of selector rings for perforations over 2,555" long up to a maximum of 4½" long. .046 Diameter punches. Throat opening .070".

CUMMINS 384



Special to order selector rings using Style 1, 2 or 3 or 5 hole wide characters with the same punch spacing.
.035"diameter punches.
.055" throat opening.
4.500" Maximum line length.

CUMMINS 385



Used when the Model 360 or 365 will not handle the complete inscription. .035" or .046" diameter punches.

Up to 3 lines of perforation.
Maximum line length 4½".

Throat opening is reduced for the large number of punches ordinarily used in this model.

NOTE: All perforation samples as shown are actual size.

"TOPS LEFT" AND "TOPS RIGHT" PERFORATORS

ITEM NO. 50-140

The Cummins 390 perforators are used for jobs which cannot be handled with conventional "Tops In" machines. There, the basic difference between the Cummins 390 type and the balance of the Cummins 300 series machines is in the position of the perforation.

The Cummins 390 is used for fixed perforation - either "Tops Left" of "Tops Right". Many libraries prefer the 390 for "branding" their books because it puts a fixed perforation perpendicular to the leading edge of the page. Label coding, sales book numbering are also among the many uses for a Cummins 390 type perforator.

The Cummins 391 is a single line perforator with six selector rings in Style 13 figures.

The Cummins 392 is also a single line perforator with six selector rings of Style 15 figures.

The Cummins 393 is a single line perforator with eight selector rings of Style 13 figures.

The Cummins 394 is a single line perforator with six selector rings in Style 13 date.

The Cummins 395 is a single line perforator with selector rings (.035 punches) in any style, or a date if desired.

The Cummins 396 is a two line perforator with six selector rings - Style 13 figures - or date.

The Cummins 397 is similar to the 395 - but is a two line perforator.

The Cummins 398 is a three line perforator with six selector rings in Style 13 date.

The Cummins 399 is also a three line perforator with six selector rings - .035 punches in any style figures - or a date if desired.



CUMMINS 395

"TOPS LEFT" AND "TOPS RIGHT" PERFORATORS

SINCE 1887

ITEM NO. 50-140

CUMMINS 390 – UP TO 3 LINES OF PERFORATION



Tops right or left. Fixed die, no Selector Rings using .035" or .046" diameter punches in any style group layout characters, or in special layout.
Maximum line spread 2-9/16"
Throat opening varies with diameter of punches.

CUMMINS 391 SINGLE LINE PERFORATOR



Tops right or left. 6 Selector Rings in Style 13 Numbers.
.046" diameter punches
.070" throat opening

CUMMINS 392 SINGLE LINE PERFORATOR



Tops right or left. 6 Selector Rings in Style 15 Date.
.046" diameter punches
.070" throat opening

CUMMINS 393 SINGLE LINE PERFORATOR



Tops right or left. 8 Selector Rings in Style 13 numbers.
.046" diameter punches
.070" throat opening

CUMMINS 394 SINGLE LINE PERFORATOR



Tops right or left. 6 Selector Rings in Style 13 Date.
.046" diameter punches
.070" throat opening

CUMMINS 395 SINGLE LINE PERFORATOR



Selector Rings – any style characters in
.035" diameter punches to a maximum ring spread of 2.4"
.055" throat opening

CUMMINS 396 TWO LINE PERFORATOR



Condensed 2 line. Style No. 13 date or numbers in selector line. Any style fixed characters in top line. Throat opening varies with diameter of punches used in top line.

NOTE: All perforation samples as shown are actual size.

"TOPS LEFT" AND "TOPS RIGHT" PERFORATORS

ITEM NO. 50-140

CUMMINS 397



Tops right or left, condensed 2 lines. Utilizes "double lifter" construction which permits the use of more characters in a limited area.

Any style characters in .035" diameter punches available for selector line and top line.

.045" Throat opening.

CUMMINS 398



Tops right or left. 2 or 3 lines. Furnished with a 6 selector ring date line in Style No. 13 character, plus optional additional fixed characters above and/or below the date line in .046" diameter punches, any style.

.070 Throat opening.

CUMMINS 399



Tops left or right. 2 or 3 lines. Furnished with a 6 selector ring date line in any style .035" diameter punches, plus optional additional fixed characters above and/or below the date line in .035" diameter punches, any style.

.045" Throat opening.

NOTE: All perforation samples as shown are actual size.

CHECK SIGNERS AND ENDORSERS TERMINOLOGY

SIGNATURE OR ENDORSEMENT DIE: A curved Parabutene plate which does the actual printing in an endorsing or signing machine. One or more dies are custom made for each customer. The die can be locked into the machine or it can be removed for safekeeping. It is mounted on a loose member for that purpose.

ITEM COUNTER or COUNTING METER: A tabulating device which automatically totals the number of checks passing through the machine. The counting mechanism can be reset to zero by one of 2 ways:

(1) Knob Reset (for 5 wheel counters); operated by a small knurled knob located on the end of the counter.

(2) Key Reset: operated by a key which is set in a tumbler lock at the end of the counter. This is a security measure.

SWITCH LOCK: A key operated device which starts and stops the motor of the machine. The machine will not operate unless the key is used, providing absolute control by authorized personnel.

STYLUS: A pointed plastic rod used to set round, metal batch wheels.

BATCH WHEELS: Additional bands or wheels in date unit for marking numbers either preceding, following, or instead of date.

LOOSE MEMBER: The removable segment of the print cylinder on which is mounted the die.

CHECK GUIDE: An adjustable stop which holds the checks in proper position as they drop into the machine. This insures the proper placement of the signature or endorsement imprint.

STACKING PLATE: A movable plate on the Cummins 250 against which checks are stacked in the same sequence they were fed into the machine.

STANDARD DATE UNIT: Unit which prints date on endorsing machines, consisting of rubber type on movable bands. Generally used only on standard endorsers. Not satisfactory on machines requiring frequently changed batch numbers or for use on signing machines for dating checks at time of signing. Its position in relation to die is fixed and unchangeable.

ADJUSTABLE DATE UNIT: Optional construction or print cylinder which permits moving date unit independently of rest of cylinder. This adjustable construction is used with either the rubber band date or the brass wheel date unit.

BRASS WHEEL DATE UNIT: Special construction necessary when frequently changed numbers must be marked by date unit, in which case both date and number must be imprinted by brass wheels instead of rubber type.

TALLYPRINTER: Product designation. Refers only to the 270 Series machines.

250 SERIES—ENDORSER—SIGNER

ITEM NO. 50-137

Simple to operate . . . . fast . . . . Cummins 250 Electric Endorser saves time and effort in handling medium and heavy volumes of checks to be endorsed. Anyone can run it — no skill or training required.

Operator simply places the 250 beside her adding machine and places a stack of checks on top of the endorser. As she lists each check, she drops it into the 250 where it is automatically endorsed, dated and *stacked in sequence.* It's one job . . . . does away with separate endorsing operation and eliminates one complete handling of checks.

The 250 handles checks of mixed sizes and money orders. Dates are quickly changed with easy-to-get-at Easy Dial date bands . . . . no loose type.

Made for the office where check endorsing requirements demand superior, heavy-duty equipment.



SPECIAL FEATURES

SPEED — Checks and money orders of mixed sizes are endorsed and dated as fast as it is possible to feed them . . . . up to 85 per minute.
POSITIVE STACKING — No need to rely on momentum or gravity. All checks are under complete mechanical control until stacked in exact sequence in the hopper.
NO LOOSE TYPE — Dates are changed by turning date wheels.
PORTABLE — Easily and quickly removed from one desk to another.
CONVENIENT.
QUIET — Operates almost without sound.
LUBRICATED FOR LIFE — Bearings contain sealed-in lubrication.
INKWELL — Endorses quarter of a million checks without refilling. Works like a big printing press . . . . last impression as distinct and legible as the first. Flow of ink can be controlled for heavy or light endorsement. Easy to fill . . . . just lift cover and pour ink right out of can — no messy, dirty ribbons to handle.



CUMMINS 250 ELECTRIC ENDORSER

Date Unit, 110 volt, 60 cycle, single phase, AC Motor, One Pint of Ink, Endorsement Die . . . . . .

ITEM NO. 50-143

CUMMINS 253 COMBINATION ENDORSER SIGNER OR DATING SIGNER

The CUMMINS 253 Combination Endorser Signer will perform the complete functions of both Endorsing and Check signing. To convert the machine to a Signer from an Endorser, it is only necessary to install the check guide, remove endorsement die, install signature die — total elapsed time approximately one minute.
This machine, when used as a Check Signer, will handle all types of checks, including payroll, dividend and disbursement checks — and it will endorse or sign and date these checks at the rate of 5,000 an hour.
INCLUDES — Key Reset Item Counter (five wheels), 110 Volt, 60 Cycle, single phase, AC Motors. Check Guide (for checks that will fit within standard check layout).
Adjustable Date Unit.
Cover and switch lock. 1 Endorsement or 1 Signature Die.

270 SERIES AUTOMATIC ENDORSERS

SINCE 1887

ITEM NO.50-137

CUMMINS 272 CUMMINS 274-03



274-03 same features as 272 but designed to print on end of check.

Fastest check endorser built! For large volume endorsing; this one compact and ruggedly-built machine can replace an entire "battery" of less efficient endorsers. Simple to operate . . . . Cummins 270 Series Endorsers are completely automatic. Operator simply places a stack of checks in the feeder, – they are automatically endorsed, dated, and *stacked in sequence.*

Handles checks of mixed sizes and money orders. Dates are quickly changed with easy-to-get-at Easy Dial Date bands, with no loose type.

110 Volt, 60 cycle, single phase AC Motor, 1 set (2) Parabutene dies, Standard date units, 1 pint ink, 1 dust cover.

SPECIAL FEATURES

SPEED – Up to 450 checks per minute!

POSITIVE STACKING – No need to rely on momentum or gravity. All checks are under complete mechanical control until stacked in exact sequence in the hopper.

NO LOOSE TYPE – Dates are changed by turning date wheels.

PORTABLE – Easy and quickly moved from one desk to another.

LUBRICATED FOR LIFE – Bearings contain sealed-in lubrication.

INK WELL – Endorses quarter of a million checks without refilling. Works like a big printing press . . . . last impression as distinct and legible as the first. Flow of ink can be controlled for heavy or light endorsement. Easy to fill . . . just lift cover and pour ink right out of can – no messy, dirty ribbons to handle.

In addition to endorsing, special dies can be used which indicates action, approval or authorization on various document, either before and/or after processing.

PAY TO THE ORDER OF ANY
FEDERAL RESERVE BANK OR BRANCH
OR GENERAL DEPOSITARY
FOR CREDIT TO THE
TREASURER OF THE UNITED STATES

DEC 31 1959

THIS CHECK IS IN PAYMENT OF AN OBLIGATION TO THE UNITED STATES AND MUST BE PAID AT PAR. N.P. DO NOT WIRE NON-PAYMENT.
DISTRICT DIRECTOR
INTERNAL REVENUE SERVICE
CLEVELAND, OHIO

270 SERIES AUTOMATIC CHECK SIGNERS

ITEM NO. 50-143

FULLY AUTOMATIC * Feeds, signs, counts and stacks checks in sequence.

The 270 Series AUTOMATIC CHECK SIGNERS have the same appearance and basic construction and features as the 270 SERIES AUTOMATIC ENDORSERS except that signing controls are added.

The signing controls include a three way lock control – one lock makes the machine inoperative, one locks the cover so the signature die cannot be inserted or removed without authorization, the lock on the cover prevents unauthorized resetting of the item counter which is visible through the cover and is knob resettable only to zero. A non-resettable item counter will be furnished if desired.

274 and 274-01 CUMMINS AUTOMATIC CHECK SIGNER

Handles checks from 2½" to 5½" in height and from 3½" to 10¼ in length. Speed of feeding will vary with the height of the check ranging from about 500 per minute for items 2½" high to about 275 per minute for 5" high items. Tabulating card checks feed about 390 per minute.

Model 274-01 is used instead of the Model 274 when the signature must be closer to the right end of the check than is possible with the Model 274. It is most commonly used for signing U.S. Government Treasury drafts.

Includes: One set (2) signature dies. No charge for standard government borders.
Signer type date unit if required.
Cover lock and Switch lock.
6 digit knob reset item counter.
110 Volt 60 cycle single phase motor.

273-01 and 275-01 CUMMINS AUTOMATIC CHECK SIGNER

These models are used on checks, usually with stub attached, that are over 10¼ in total width and therefore must be fed vertically.

When the signature is near the margin and to the right of the leading edge the 273-01 is used; when the signature is to the left of the leading edge the 275-01 is required.

Includes: One signature die (only one required on these models).
Cover lock and Switch lock.
6 digit knob reset item counter.
110 Volt 60 cycle single phase motor.

No date section is available for the 273-01 and 275-01.

270 SERIES AUTOMATIC COUNTERS

ITEM NO. 50-153

CUMMINS 271 AUTOMATIC CARD COUNTER

Automatically feeds and counts tabulating cards and similar documents at speed of up to 400 per minute. Has two counting meters. Upper one illustrated is resettable to zero at any time by single depression of one lever. It registers all items fed. Lower meter is descending. It can be set to any predetermined quantity up to 9999 and shuts off the feed as soon as that quantity is reached. No imprinting mechanism.



CUMMINS 271-01 AUTOMATIC CARD COUNTER

Automatically feeds and counts tabulating cards and similar documents at speeds up to 600 per minute but has only the resettable setting ascending meter, without the predetermined count feature. No imprinting mechanism.

CUMMINS 271-03 AUTOMATIC COUNTER

Same as 270-01 except this model counts paper items rather than tabulating cards.



CUMMINS 260 FEEDER AND HOPPER ASSEMBLY

Has a 1,000 card capacity (not suitable for paper items). Automatically feeds tabulating cards and similar card documents at speeds up to 600 per minute.

Available on the following models:

271-01 Automatic Card Counter
272 Automatic Endorser
274-03 Automatic Endorser
274 Automatic Signer
274-01 Automatic Signer

SINCE 1887

270 SERIES COUNTER—IMPRINTER

ITEM NO. 53-153

CUMMINS 292 AUTOMATIC COUNTER-IMPRINTER

Automatically feeds, counts, and imprints cards, checks and similar documents at speeds up to 400 per minute. Counter resets to zero in single depression of one lever. Equipped with non-print switch that changes machine from a counter-imprinter to a straight counter whenever desired. Includes standard date unit and one set of imprinting dies.



ALABAMA
1816-A 28th Avenue, S.
Homewood 45209
871-8455

ALASKA
Tripp Office Equipment
1412 Cushman
Fairbanks 99701
4235

ARIZONA
901 W. McDowell
Phoenix 85007
602/258-0046

ARKANSAS
See Memphis, Tenn.

Miller & Lafayette Counties
See Dallas, Texas

CALIFORNIA
1653 Beverly Blvd.
Los Angeles 90026
213/629-2311

591 Howard St.
San Francisco 94105
415/397-6930

260 N. Tustin
Orange 92667
714/538-6832

CANAL ZONE
Sergio Acosta S.A.
Apartado 272
Panama, R.P.

COLORADO
2119 S. Birch St.
Denver 80222
757-0677

CONNECTICUT
119 Ann St.
Hartford 06103
247-1793

29 Whalley Avenue
New Haven 06509
203/562-6686

DELAWARE
See Baltimore, Md.

DISTRICT OF COLUMBIA
5913 Georgia Ave., N. W.
Washington, D.C. 20011
202/726-6100

FLORIDA
12137 N.W. 7th Ave.
Miami 33168
305/685-7362

1221 West Lee Road
Orlando 32810
305/299-2660

Extreme West — see
New Orleans, La.

GEORGIA
1584 Tullie Circle, N.E.
Atlanta 30329
404/633-9239

HAWAII
John J. Harding
2825 Ualena Street
P. O. Box 4013
Honolulu 96812
810-941

IDAHO
Southern — see
Salt Lake City, Utah

Northern — see
Seattle, Washington

ILLINOIS
Factory
4740 N. Ravenswood
Chicago 60640
312/561-6600

Local Chicago
Sales & Service
2936 W. Devon Ave.
Chicago 60645
312/338-5600

Northwest — see
Davenport, Iowa

South — see
St. Louis, Mo.

INDIANA
5410 E. Washington St.
Indianapolis 46219
317/357-8741

1935 Hale Ave. at Brooklyn
Fort Wayne 46804
219/744-5129

Extreme South
Central — see
Louisville, Ky.

Lake County — see
Chicago, Ill.

IOWA
2nd & Pershing
Davenport 52801
319/324-2813

308 Indianola Ave.
Des Moines 50315
515/244-3836

KANSAS
Kansas City, Mo. 64111
816/531-0251

KENTUCKY
3415 Bardstown Rd.
Louisville 40218
502/454-5961

South — see
Nashville, Tenn.

Eastern — see
Charleston, W.Va.

LOUISIANA
1117 N. Rampart St.
New Orleans, La. 70116
504/6218

MAINE
Sidney M. Doyle, Jr.
RFD #2
Gorham 04033
207/773-1242

MARYLAND
200 E. Joppa Rd.
Baltimore 21204
301/321-0650

MASSACHUSETTS
950 Watertown St.
West Newton 02165
617/332-6428

MICHIGAN
19967 James Couzens
Highway
Detroit 48235
313/342-5656

1312 Burton St., S. E.
Grand Rapids 49507
616/452-9392

MINNESOTA
7736 Morgan Ave., S.
Minneapolis 55423
612/869-3900

MISSISSIPPI
Southern — see
New Orleans, La.

Northern — see
Memphis, Tenn.

MISSOURI
P. O. Box 2562
9436 Midland
St. Louis 63114
314/428-0291

Western — see
Kansas City, Kansas

MONTANA
4007 Riverside Rd.
Billings 59101
406/248-8333

NEBRASKA
See Des Moines, Iowa

NEVADA
Reno — see San
Francisco, Calif.

Eastern — see
Salt Lake City, Utah

Clark County — see
Los Angeles, Calif.

NEW HAMPSHIRE
RFD #1
Newport 03773
603/863-2753

or see — West Newton,
Mass.

NEW JERSEY
346 Main Street
Chatham 07928
201/635-6434

Southern — see
Upper Darby, Pa.

NEW MEXICO
See El Paso, Texas

NEW YORK
310 State St.
Albany 12210
518/465-2933

30 E. 42nd St.
New York 10017
212/867-3055

2969 Bailey Ave.
Buffalo 14215
716/833-5010

SINCE 1887

GEOGRAPHICAL LIST OF CUMMINS OFFICES

NEW YORK (Cont'd)
113 E. Onondaga Street
Syracuse 13202
315/472-9195

State Island — see
Chatham, N.J.

Broome, Chemung &
Tioga Counties —
see Kingston, Pa.

NORTH CAROLINA
3229 So. Boulevard
Charlotte 28209
704/525-1179

NORTH DAKOTA
See Minneapolis, Minn.

OHIO
602 Main Street
Cincinnati 45202
513/721-8242

722 Walnut Ave., N.E.
Canton 44702
216/452-1445

20800 Center Ridge Rd.
Cleveland 44116
216/331-0005

3070 Riverside Dr.
Columbus 43221
614/294-8213

1745 Sylvania Ave.
Toledo 43613
419/474-7673

Southeastern — see
Charleston, W. Va.

OKLAHOMA
111 N. W. 23rd Street
Suite 33
Oklahoma City 73103
405/524-6688

Cimarron & Texas
Counties — see
El Paso, Texas

OREGON
800 S.E. McLoughlin Blvd.
Portland 97222
503/654-7323

PENNSYLVANIA
7406 West Chester Pike
Upper Darby 198082
215/352-8200

260 Pierce St.
Kingston 18704
717/288-4684

201 Penn Center Blvd.
Pittsburgh 15235
412/243-4960

PUERTO RICO
Texidor Security
Equipment, Inc.
354 De Diego Ave.
Puerto Nuevo
783-0249

RHODE ISLAND
See West Newton, Mass.

SOUTH CAROLINA
See Charlotte, N.C.

SOUTH DAKOTA
See Minneapolis, Minn.

TENNESSEE
2402 12th Ave., S.
Nashville 37204
615/298-4671

80 North Tillman
Suite 203
Memphis 38111
901/327-4789

TEXAS
918 E. Yandell Blvd.
El Paso 79902
915/542-0638

6434 Maple Ave.
Dallas 75235
214/352-5962

4189 Bellaire Blvd.
Suite 200
Houston 77025
713/665-8846

6936 San Pedro Ave.
San Antonio 78216
512/826-0822

UTAH
301 E. 17th, South
Salt Lake City 84115
801/484-9813

VERMONT
See West Newton, Mass.

VIRGINIA
4203 North Ave.
Richmond 23222
703/358-6104

Accomac & North-
ampton Counties —
see Baltimore, Md.

Western — see
Washington, D. C.

Southwestern — see
Charleston, W. Va.

WASHINGTON
3301 Fremont Ave., N.
Seattle 98103
206/633-2860

Clark & Cowlitz
Counties — see
Portland, Ore.

WEST VIRGINIA
3619B 7th Ave.
Charleston 25312
304/744-8241

Northeast — see
Washington, D.C.

Northwest — see
Pittsburgh, Pa.

WISCONSIN
7213B W. Burleigh
Milwaukee 53210
414/445-1060

Extreme Southwest —
see Davenport, Iowa

Northwest — see
Minneapolis, Minn.

WYOMING
Extreme North —
see Billings, Mont.

Western — see Salt
Lake City, Utah

Balance — see
Denver, Colo.

SINCE 1887

XD64/Printing Pubs Box

Cummins-Chicago Corporation
CHICAGO, ILLINOIS 60640
WHITAKER BROTHERS BUSINESS MACHINES, INC.
DISTRIBUTORS
A CUMMINS-ALLISON COMPANY

KOLBE M. CURTICE

5913 GEORGIA AVE., N. W.
WASHINGTON, D. C. 20011

PHONE
RANDOLPH 6-4840

Cummins CA CHICAGO CORP.
A CUMMINS SINCE 1887 ALLISON COMPANY

4740 North Ravenswood Avenue • Chicago, Illinois 60640 • Longbeach 1-6600 Area Code 312

April 24, 1971

Mr. L. J. Perlstein
U. S. Patent Office
Group 290
Washington, D. C. 20231

Dear Mr. Perlstein:

Thank you for your recent request for further information on Cummins Check Signers.

Enclosed herewith you will find a copy of the authorized Federal Supply Price List covering GSA Contract Number GS-OOS-83021 with complete description and prices.

The uninterrupted, efficient use of every machine in this catalogue is protected by factory trained men and factory approved parts. We install machine and instruct your operators.

Please feel free to contact us at 726-4840 for answers to any questions you might have regarding this equipment. We are eager to assist you.

Sincerely,

Kolbe Curtice

for J. F. Whitaker
Representative

To Governmental Offices:

Rec'd 4/71

Here it is budget time again. Before you request funds, you may want to consider the future installation of one or more modern Cummins business machines that will save time, effort, and money. In hundreds of governmental offices throughout the country, investment in Cummins equipment has proved to be exceedingly worthwhile. We have machines to meet every requirement and to fit any size budget.

Here are brief descriptions of the many applications served by one or another Cummins machines:

Check and Warrant Signing

Cummins electric check signers come in manual, semi-automatic, and completely automatic models. They sign, date, count and protect in one fast operation. One machine can handle all types of card and paper checks.



Warrant Canceling
Bond Coupon Canceling
Paid Invoice Canceling

Cummins has fast, efficient perforating equipment for any or all of these functions. One flexible model of perforator can be used for all three jobs.

Check Endorsing

Cummins semi or completely automatic models with "magic-flo" inkwells imprint endorsements on all sizes of intermixed checks — eliminate tedious, noisy hand stamping — speed deposits — involve no setting of type.

Punched Card Reconditioning

Do you have a problem in processing mutilated card tax bills or warrants? The new Cummins Carditioner quickly solves the problem of folded, nicked, or wrinkled cards, or those carrying tape or staples. It eliminates over 75% of repunching, reproducing, jams, and misreads.

Multiple Marking

Any dating, numbering, counting or imprinting operation on warrants, checks, tax or utility bills, or license forms can be improved with substantial savings by using a Cummins perforator or imprinter. A Cummins perforator can cancel, date, or number twenty documents at each stroke.

Coin Changers

Cummins low cost coin changers save clerical time and speed window traffic, have all the advantages claimed for high-priced electric devices.

Mail the enclosed postage-free card for detailed information on any or all of these machines, without obligation of any kind.

IN BUSINESS AND BANKS SINCE 1887
Cummins
CUMMINS-CHICAGO CORPORATION
A CUMMINS-ALLISON COMPANY
SINCE 1887
4740 N. RAVENSWOOD AVE. • CHICAGO, ILLINOIS 60640
SALES AND SERVICE IN ALL PRINCIPAL CITIES

13C309—969

The Cummins Scanak 216... A Scanner that works!

A recent independent survey of actual installations showed that Scanak, when compared to Scanners costing far more*, provided greater through-put with only a fraction of the rejects. Because of its greater flexibility, the average Scanak was used on a greater number of applications than the more expensive machines.

The study also revealed that Scanak was operational in a fraction of the time it took other installations—because there are no programs to write. It works off-line and users just patched their existing programs. Scanak had less down time. Look what *Auerbach* says: "This system utilizes recognition circuitry that is less intricate and more reliable than that of OCR scanners."

*Scanak rentals start at less than $1000 per month, including maintenance.

Who uses Scanak and for what?

Scanak is now in use or on order by such different institutions as municipal governments, textile and apparel manufacturers, dairies, publications, associations, hospitals, banks, manufacturers, department stores, insurance companies, distributors, utilities, and of course, independent data centers. Some of their applications are: revolving credit billing and payment processing, labor reporting, route accounting, instalment payment processing, subscription fulfillment, inventory withdrawals, payroll, goods-in-process reporting, and savings account transactions.

If you have a computer, and more than two keypunch or key tape operators, you probably need a Scanak.

See Scanak at the Fall Joint, booths 17004-5, Sahara Space Center.

IN BUSINESS AND BANKS SINCE 1887

CA SINCE 1887 **Cummins**

CUMMINS-CHICAGO CORPORATION
A CUMMINS - ALLISON COMPANY
4760 N. RAVENSWOOD AVE. · CHICAGO, ILLINOIS 60640
SALES AND SERVICE IN ALL PRINCIPAL CITIES

29-1186